



Illustrated Parts List

AXIP-0075

May 2023

E-1000I, E-1002I, E-1000W,
E-1200I, E1201W, E-1202I, E1202W, E-1203I
E-1320I, E-1320W, E-1322I, E-1322W
E-1460I, E-1460W, E-1462I, E1462W

Table of Contents

How To Use Illustrated Parts List	2
Model Identification	3
Model Identification Numbering System.....	3
Nominal Load Rating	3
Steer Axle Components	4
E-1000I/W, E-1200I/W, E-1201W, E-1320I/W, E-1460I/W Parts Explode	4
E-1002I/W, E-1202I/W, E-1203I, E-1322I/W, E-1462I/W Parts Explode	8
Cross Link Assembly / Components	12
Tie Rod Ends	14
Knuckle Types Illustrated	15
Knuckle Conversion Chart 5/8" to 3/4" brake mounting hole	19
Axle Specifications (Reference to Beam, Knuckles, TieRod Assy, Turn Angles)	
E1002 - E 1202 Series	39
E1302 - E1322 Series	72
E 1462 Series	93

Note: If an axle Specification is not listed, please call Technical Services.

General Information

How To Use Illustrated Parts List

Ordering Parts

- This parts book is organized in sections according to parts servicing requirements. Use the Contents or page headings and coloured tabs to find information.
- Use this book to order parts for your Dana® Spicer® Axle.

Kits and Assemblies

- Kits and Assemblies contain groups of individual or assembled parts developed for optimal replacement or repair of a service problem or maintenance.
- Kits and Assemblies are shown with applicable parts groupings in the parts listing.
- See the Appendix for detailed information concerning kits applicable to this model.

Abbreviations

- AR - As Required - Parts that vary in quantity with each axle. Example: shims
- NSS - Not Serviced Separately - Items which can only be purchased in sets, kit form or service assemblies. Example: brake shoes.
- RH/LH - Right Hand/Left Hand - Determined as viewed from behind the vehicle looking forward.
- ABS - Antilock Brake System
- N/A - Not Applicable
- Str - Straight

Illustrations

- Illustrations show parts in assembly groups.
- Item numbers on illustrations correspond with parts listings on pages that accompany the drawings.
- Notes are included on illustrations where needed.

Parts Listings

- Parts listings are defined by parts groupings and are broken down by service assemblies.
- Parts Listings identify a part for servicing with the following categories:
 - Item - corresponds with numbers on illustrations for part identification
 - Part Name - specifies part name or description
 - Quantity (Qty) - quantity required for assembly
 - Current Part(s) - service part numbers are broken down by model, type or other applicable information
 - Notes - define unique characteristics or replacement notes
 - Kits / Assy's Where Used - indicates Kits or Assemblies that contain a particular part
- **Other pertinent information is listed in tables or parts listings as required.**

Effectively using a Parts Listing - Example

- Follow the example below to locate and order exactly what is required for servicing.

Match to items on illustration	Use to identify Part	Order this quantity for servicing	Order Part Number		Indicated information important to ordering or use
Item	Part Name	Qty	E1000I	E1200I	Notes
1	Locknut - Draw Key	2	67592	67592	See Axle Shaft Chart
2	Knuckle Seal	4	815237	815237	


Kits and Assemblies

Item	Part Name	Qty	E1000I	E1200I	Notes
Kit w/Steel Backed Acetal Bushing		1	328344	328344	Contents Identified with *


Model Identification

- Spicer Steer Axles are identified with a Spicer name plate. The name plate, located on the front of the steer axle assembly, includes vital information such as Model, Part No., Serial No., and Customer Part no. on it. When making parts or service enquires about your Spicer Steer Axle, be sure to

have this information available.




Model Identification Numbering System



Examples

1202BN103-42	1202BN205-69
E1202 Series Spec ID #	E1202 Series Spec ID #
100 Suffix = Axle	200 Suffix = Axle with Brakes

Axle Assembly Tag




AXLE ASSEMBLY NUMBER

Nominal Load Rating

Model		Nominal Load Rating lbs. [kg]
E-1000I	E-1002I	10,000 [4,538]
E-1000W	E-1002W	10,000 [4,538]
E-1200I	E-1202I	12,000 [5,443]
E-1200W	E-1202W	12,000 [5,443]
-	E-1203I	12,000 [5,443]
E-1201W		12,000 [5,443]
E-1320I	E-1322I	13,200 [5,987]
E-1320W	E-1322W	13,200 [5,987]
E-1460I	E-1462I	14,600 [6,622]
E-1460W	E-1462W	14,600 [6,622]

E-1000I/W, E-1200I/W, E-1201W, E-1320I/W, E-1460I/W Parts Explode



E-1000I,W, E-1200I,W, E-1201W, E-1320I,W, E-1460I,W

SINGLE DRAW KEY DESIGN (Ended Production in 2005)

Item	Description	Qty Per Axle	E1200I,W		E1460I,W		Notes	
			E1000I,W	E1201W	E1320I,W	Pre 1/1/00		After 1/1/00
King Pin Kits								
	Kit w/Steel Backed Acetal Bushing (DX)	1	328344	328344	328344	329404	328345	See Note 1
	Kit w/Bronze Bushing	1	328342	328342	328342	329405	328343	See Note 1
1	Drawkey Locknut	2	067592 or 1004804					All Models, TCA Hex [1/2] 20 UNF
2	Seal (Knuckle)	4	815237	815237	815237	820518	820518	
3	Shims	.005" A/R .010" A/R .030" A/R	817493 817494 817492					All Models All Models All Models
4	Drawkeys	2	816239					
5	Thrust Bearing	2	971011	971011	971011	811523	220HC104	Replaces 815285
6	Beam	1	RefertoIDtagonassembly					
7	Stop Screw	Turn Angle 2 30-35 degree A/R 36-40 degree A/R 41-45 degree A/R 46-50 degree A/R 51-55 degree A/R	816365 816366 816367 816369 816370					All Models All Models All Models All Models All Models
8	Stop Screw Nut	2	090208					All Models
9	Cross Link Assembly	1	See page 12					
10	Tie Rod Ends	2	See pages 12-14					
11	Jam Nut - Outer	2	815638					All Models
12	Retainer Washer	2	817134					All Models
13	Spindle Washer	2	815623					All Models
14	Jam Nut Inner	2	815622					All Models
15	PRO TORQ® Nut Assy	2	128333					All Models; See Note 2
16	Grease Fitting	4	819790					All Models
17	Knuckle Cap	4	971370					All models; Replaced 816295
18	Foam Insert	4	971010					All Models
19	Bushing Steel Backed Acetal (DX)	4	1320HD101	1320HD101	1320HD101	806334	806334	
	Bronze	4	1320HD100	1320HD100	1320HD100	1460HD100	1460HD100	
20	Knuckle Pin	2	815284	815284	815284	817452	817452	See Note 1
21	Knuckle Assy	2	RefertoIDtagonassembly					
22	Cotter Pin (Tie Rod Nut)	2	HP102					All Models; Replaced 1004805

NOTE 1: 1/1/00 Design change to E1460; See Bulletin ABIB-0212

NOTE 2: Pro Torq is a registered trademark of Caromet Inc.

King Pin Kit Contents

328342 - E1000 - E1320 I,W BRONZE

815284	Knuckle Pin	2
1320HD100	Bushings-Bronze	4
815237	Seals	4
816239	Drawkeys	2
971011	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1004804	Locknut	2



Example of a typical E Series Kit - Single Drawkey

328343 - E1460 I,W BRONZE (After 2000)

817452	Knuckle Pin	2
1460HD100	Bushings-Bronze	4
820518	Seals	4
816239	Drawkeys	2
220HC104	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
067592	Locknut	2



DX GARLOCK BUSHING EXTENDED LIFE MATERIAL

328344 - E1000 - E1320 I,W DX GARLOCK

815284	Knuckle Pin	2
1320HD101	Bushings-DX	4
815237	Seals	4
816239	Drawkeys	2
971011	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1004804	Locknut	2



The Spicer® steer axle design excludes contamination and retains grease far better than competitive designs. This is accomplished through a patented, compressible insert that prevents pressure and vacuum typically found in competitive steer axle kingpin joints. The result is better lubrication retention and reduced contamination of the Kingpin joint for longer life and trouble-free performance.

328345 - E1460 I,W - DX GARLOCK (After 2000)

817452	Knuckle Pin	2
806334	Bushings-DX	4
820518	Seals	4
816239	Drawkeys	2
220HC104	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
067592	Locknut	2


329405 - E1460 I,W PRE 2000, BRONZE

817452	Knuckle Pin	2
1460HD100	Bushings-Bronze	4
820518	Seals	4
816239	Drawkeys	2
811523	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
067592	Locknut	2

329404 - E1460 I,W PRE 2000, DX GARLOCK

817452	Knuckle Pin	2
806334	Bushings-DX	4
820518	Seals	4
816239	Drawkeys	2
811523	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
067592	Locknut	2

E 1002I,W, E 1202I,W, E1203I, E1322I,W, E 1462I,W Parts Explode



E 1002I,W, E 1202I,W, E1203I, E1322I,W, E 1462I,W - Dual Draw Key Design

Item	Description	Qty Per Axle	E1002I,W	E1202I,W	E1203I	E1322I,W	E1462I,W	Notes
King Pin Kits								
	Kit w/ Presized Garlock Bushing (DX)	1	328349	328349	328348	328349	328349	
	Kit w/Bronze Bushing	1	328347	328347	328346	328347	328347	
	Kit w/DX10 Bushing Design for Extended Bushing Life	1	503701	503701	-	503701	503701	
	Kit w/DX10 Bushing Design for Extended Bushing Life		503700					503700 Top dead center mounted ADB (Bulletin HAXL
1	Drawkey Hex Locknut	4	220HN103					All Models
2	Belleville Sprint Washer	8	1460HN100					All Models
3	Seal (Knuckle)	4	820518	820518	815237	820518	820518	All Models
4	Shim	.005" A/R .010" A/R .030" A/R	817493 817494 817492					All Models All Models All Models
5	Drawkey Upper	2	160HP104-1					All Models
6	Drawkey Lower	2	160HP104-2					All Models
7	Thrust Bearing	2	220HC104	220HC104	971011	220HC104	220HC104	
8	Beam	1	Refer to ID tag on assy					
	Stop Bolt Adapter Assy	2	120HM101					Incl. 9-11
9	Stop Bolt (30-50 degree)	2	101HM100-5					All Models
10	Stop Screw Nut	2	120HM101					Replaces HN148; All Models
11	Adapter Nut	2	120HN100					All Models
12	Stop Screw	22-29 degree 2 30-35 degree 2 36-40 degree 2 41-45 degree 2 46-50 degree 2 51-55 degree 2	818140 816365 816366 816367 816369 816370					All Models All Models All Models All Models All Models All Models
13	Stop Screw Nut	2	090208					Replaces 90208; All Models
14	Tie Rod Assy	1	See page 12					
15	Tie Rod Clamp Assy	2	See page 12					
16	Tie Rod Ends	2	See pages 12-14					
17	Stamped Lock Nut	2	140HN105					All Models
18	Cotter Pin	2	HP115					All Models
19	Jam Nut	2	140HN104					All Models
20	D-Flat Washer	2	140HN103					All Models
21	Jam Nut Outer	2	815638					All Models
22	Retainer Washer	2	817134					All Models
23	Spindle Washer	2	815623					All Models
24	Jam Nut Inner	2	815622					All Models
25	Grease Fitting	4	819790					All Models
26	Knuckle Cap	4	971370					All Models
27	Foam Insert	4	971010					All Models
28	Bushing	Presized Garlock 4 Bronze 4 DX10 2-4 DX10 2	806334 1460HD100 - -	806334 1460HD100 1460HD103 1460HD104	1320HD101 1320HD100 - -	806334 1460HD100 - -	806334 1460HD100 1460HD103 -	Top dead ctr requires two different length bushings
29	Knuckle Pin	2	1460SC102	1460SC102	1320SC100	1460SC102	1460SC102	1460SC103 (used w/TDC ADB)
	Pin Sizes:		9.06"x1.87"	9.06"x1.87"	9.06"x1.72"	9.06"x1.87"	9.06"x1.87"	
30	Knuckle Assy	1	Refer to assy number on ID tag					
31	Cotter Pin	2	HP102					All Models

E 1002I,W, E 1202I,W, E1203I, E1322I,W, E 1462I,W King Pin Kit Contents**328349 - E1002 - E1462I,W DX GARLOCK**


1460SC102	Knuckle Pin	2
806334	Bushings-DX	4
820518	Seals	4
160HP104-1	Drawkey Upper	2
160HP104-2	Drawkey Lower	2
220HC104	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1460HN100	Bellville Washer	8
220HN103	Drawkey Hex Locknut	4

**Example of a typical E Series Kit - Dual Drawkey****328347 - E1002 - E1462I,W BRONZE**

1460SC102	Knuckle Pin	2
1460HD100	Bushings-Bronze	4
820518	Seals	4
160HP104-1	Drawkey Upper	2
160HP104-2	Drawkey Lower	2
220HC104	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1460HN100	Bellville Washer	8
220HN103	Drawkey Hex Locknut	4

DX**DX10****DX GARLOCK BUSHING EXTENDED LIFE MATERIAL****328348 - E1203I DX GARLOCK**

1320SC100	Knuckle Pin	2
1320HD101	Bushings-DX	4
815237	Seals	4
160HP104-1	Drawkey Upper	2
160HP104-2	Drawkey Lower	2
971011	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1460HN100	Bellville Washer	8
220HN103	Drawkey Hex Locknut	4



The Spicer® steer axle design excludes contamination and retains grease far better than competitive designs. This is accomplished through a patented, compressible insert that prevents pressure and vacuum typically found in competitive steer axle kingpin joints. The result is better lubrication retention and reduced contamination of the Kingpin joint for longer life and trouble-free performance.

328346 - E1203I - BRONZE

1320SC100	Knuckle Pin	2
1320HD100	Bushings-BRONZE	4
815237	Seals	4
160HP104-1	Drawkey Upper	2
160HP104-2	Drawkey Lower	2
971011	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1460HN100	Bellville Washer	8
220HN103	Drawkey Hex Locknut	4



503700 - E1202 TOP DEAD CENTER MOUNT ADB DX10

1460SC103	Knuckle Pin	2
1460HD103	Bushings-DX10 1.8"	2
1460HD104	Bushings-DX10 1.4"	2
820518	Seals	4
160HP104-1	Drawkey Upper	2
160HP104-2	Drawkey Lower	2
220HC104	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1460HN100	Bellville Washer	8
220HN103	Drawkey Hex Locknut	4

503701 - E 1002-E1462 SERIES W/DX10 BUSHINGS

1460SC102	Knuckle Pin	2
1460HD103	Bushings-DX10 1.8"	4
820518	Seals	4
160HP104-1	Drawkey Upper	2
160HP104-2	Drawkey Lower	2
220HC104	Thrust Bearing	2
971370	Knuckle Cap	4
971010	Foam Insert	4
819790	Grease Fitting	4
817493	Shim .005	4
817494	Shim .010	2
817492	Shim .030	2
1460HN100	Bellville Washer	8
220HN103	Drawkey Hex Locknut	4

CROSS LINK ASSEMBLIES AND TIE ROD ENDS



Model	Cross Tube Length (Inches)	Assembly Length Ball Ctr to Ctr	Cross Tube Diameter (Inches)	Drop (Inches)	Tube Wall Thickness (Inches)	Cross Link Assy (Includes Tie Rod Ends)	Tie Rod Ends		Notes
							LH	RH	
E1000I	60		1.525	3.5	0.2400	NLA	817018	817019	Purge Valve
E1000W	62		1.620	3.5	0.2200	NLA	817018	817019	Purge Valve
E1002I	60	64.2 - 67.8	1.660	STRAIGHT	0.1900	815326	817018	817019	Purge Valve
E1002iL	60	64.2 - 67.8	1.660	STRAIGHT	0.1900	10036700	685365	685366	Purge Valve
E1002LW	62	66.2 - 69.8	1.660	STRAIGHT	0.1900	10036701	685365	685366	Purge Valve
E1002W	62	66.2 - 69.8	1.620	STRAIGHT	0.2200	NLA	817018	817019	Purge Valve
E1002LW	62	66.2 - 69.8	1.620	STRAIGHT	0.2200	NLA	817018	817019	Purge Valve
E1002RW	62	66.2 - 69.8	1.620	STRAIGHT	0.2200	NLA	817018	817019	Purge Valve
E1200I	53.6	59.5	1.660	3.5	0.1900	971070	817018	817019	Purge Valve
	60	64.2 - 67.8	1.660	3.5	0.1900	815326	817018	817019	Purge Valve
E1200W	62	66.2 - 69.8	1.660	3.5	0.1900	971443	817018	817019	Purge Valve
E1201W	62	66.7 - 69.8	1.660	3.5	0.1900	971443	817018	817019	Purge Valve
	56	67.6	1.750	5	0.2100	971717	970579	970580	Boot Style
E1202I	60	64.2 - 67.8	1.660	STRAIGHT	0.1900	815326	817018	817019	Purge Valve
E1202iR	60	64.2 - 67.8	1.660	STRAIGHT	0.1900	10036700	685365	685366	Purge Valve
E1202iL	60	64.2 - 67.8	1.660	STRAIGHT	0.1900	10036700	685365	685366	Purge Valve
E1202LW	62	66.2 - 69.8	1.660	STRAIGHT	0.1900	10036701	685365	685366	Purge Valve
E1202RW	62	66.2 - 69.8	1.660	STRAIGHT	0.1900	10036701	685365	685366	Purge Valve
E1202W	62	66.2 - 69.8	1.660	STRAIGHT	0.1900	10036701	685365	685366	Purge Valve
E1202W	62	66.2 - 69.8	1.660	STRAIGHT	0.1900	971443	817018	817019	Purge Valve
E1203I	60	64.2 - 67.8	1.660	STRAIGHT	0.1900	815326	817018	817019	Purge Valve
E1302	60	64.2 - 67.8	1.660	3.5	0.1900	815326	817018	817019	Purge Valve
	59	66.5	1.900	3.5	0.2000	817755	818472	818471	Purge Valve
E1320I	60	64.2 - 67.8	1.660	3.5	0.1900	815326	817018	817019	Purge Valve
	60	65.9	1.660	3.5	0.1875	971673 OBS	970701 OBS	970702 OBS	Boot Style
	53.5	65.9	1.750	5	0.2100	971713	970579	970580	Boot Style
E1320W	61	68.5	1.900	3.5	0.2000	971092	818472	818471	Purge Valve
E1322I	60	64.7 - 67.8	1.660	STRAIGHT	0.1900	815326	817018	817019	Purge Valve
	53.5	65.9	1.900	0.88	0.2000	971713	971714	971715	Purge Valve
	56	67.6	1.900	0.88	0.2000	971717	971714	971715	Purge Valve

Model	Cross Tube Length (Inches)	Assembly Length Ball Ctr to Ctr	Cross Tube Diameter (Inches)	Drop (Inches)	Tube Wall Thickness (Inches)	Cross Link Assy (Includes Tie Rod Ends)	Tie Rod Ends		Notes
							LH	RH	
E1322IL	60	64.7 - 67.8	1.660	STRAIGHT	0.1900	10036700	685365	685366	Purge Valve
E1322W	61	68.5	1.900	STRAIGHT	0.2000	971092	818472	818471	Purge Valve
E1460I	59	66.5	1.900	3.5	0.2000	817755	818472	818471	Purge Valve
E1460W	61	68.5	1.900	3.5	0.2000	971092	818472	818471	Purge Valve
E1462I	59	66.5	1.900	STRAIGHT	0.2000	817755	818472	818471	Purge Valve
	44.25	66.5	2.000	1.25	0.2500	971747	971748	971749	Purge Valve
E1462I	46.25-48.25	65.7 - 70.2	2.000	1.25	0.2500	971776	971748	971749	Purge Valve
E1462W	61	68.5	1.900	STRAIGHT	0.2000	971092	818472	818471	Purge Valve
E1462W	48.25	67.7 - 72.2	2.000	1.25	0.2500	972694	971748	971749	Purge Valve
E1462XW	48.25	67.7 - 72.2	2.000	1.25	0.2500	972694	971748	971749	Purge Valve

Tie Rod Ends

Left Hand	Right Hand	Tie Rod End Length Ball Ctr to End (in.)	Type	Rod Thread	Length	(A) Stud Length Ctr Socket to Threads	Taper	Dana Design Type	Steer Axle Models
E Series Tie Rod Ends									
685365	685366	6.188	Straight	1 1/8-12 UNF2A	4.088	2.22	1 to 8	Purge Valve (2)	E Series
817018	817019	6.188	Straight	1 1/8-12 UNF2A	4.088	2.22	1 to 8	Purge Valve (2)	I, D, & E Series
818472	818471	7.500	Straight	1 1/4-12 UNF2A	5.250	2.40	1 to 8	Purge Valve (2)	I & D & E Series
971714	971715	9.260	Dropped	1 1/4-12 UNF2A	4.130	2.47	1 to 8	Purge Valve (2)	E Series
971748	971749	14.280	Dropped	1.625-12UN-2A	4.750	2.42	1.5 to 1 ft	Purge Valve (2)	E Series
970579	970580•	9.260	Dropped	1.125-12 UNF2B	4.250	©	1 to 8	Non-Purge Valve	D & E Series
970701 OBS	970702 OBS	6.000	Straight	1.125-12 UNF2B	4.320	-1.000	1 to 8	Non-Purge Valve	E Series


• Part is discontinued

■ Part is available until supply is exhausted

© Replaced by 971714 & 715

(1) Crosslink obsolete

(2) Long Life tie rod ends



Type 2


5/8" (.659)

Brake mounting bolt holes

Type 20

3/4" (.796)

Brake mounting bolt holes





Type 2 / 20 are used to mount air disc or air drum brake assemblies.


The flange pattern consists of 7 anchor plate mounting holes & 1 ABS mounting hole. The ABS hole is drilled and broached. Anchor plate mounting holes are drilled only.

Type 3,5

Stop Bolt Screw Adaptor



Stop Bolt + Adaptor



Standard Stop Bolt

For the current E-Series, there are two types of stop bolts used to limit steer travel of the knuckle.

Type 3 – Knuckle uses 3/8" threaded hole to mount stop bolt adaptor.

Stop bolt adaptor has a turning range of 30° - 55°

Type 5 – Knuckle uses 1/2" threaded hole to mount a standard stop bolt.

The Standard stop bolt has a minimum turn angle of 22°

Type 24


¾" (.796)

Brake mounting bolt holes

Type 24 are used to mount air disc or air drum brake assemblies.

Flange pattern consists of 7 anchor plate mounting holes & 1 ABS mounting hole.

ABS hole is drilled and broached.
Anchor plate mounting holes are drilled only.




Type 22

Standard brake flange mounting pattern for hydraulic brake packages.

Pattern consists of 8 X 0.658" diameter mounting holes. Scallops are machined in upper flange for necessary clearance for brake components.

Scallops were as formed on previous generation of forgings.

This was previously a type 1.



Type 12

There are some special machining operations utilized on small volume applications

Type 12 – Flange OD turning used with some air disc brake packages.


Type 23, 10

Type 23 pattern is used for Reduced Envelope Brake (REB) 15" X 6" drum brake.

Pattern utilizes 8 X 0.658" brake mounting holes and 1 ABS mounting hole @ 27° Forward & Down.


Machined scallop is necessary for clearance to the camshaft housing.

Type 18 pattern is also released with ABS hole @ 27° Rearward & Down.




Type 19

The Type 19 option requires a shorter king pin and shorter upper bushing to accommodate the reduced height of the upper king pin boss. The Type 19 option is only used with the Type 2 or Type 20 brake pattern. The upper king pin cap is left un-drilled since no grease fitting will be installed in the cap.





Conventional E-Series Knuckle



TDC ADB Mount E-Series Knuckle

Type 11

Spindle Thread
1.5 - 12 UNF-2A
vs. the Standard
Spindle Thread



Type 11 spindle has a D-shaped spindle end used in conjunction with a D-shaped lock washer. This is primarily used by Navistar.

The Standard spindle (no type) uses a keyway for lock nut / washer retention.

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINK KIT (328349 Can Upgrade to 503701)
817723	0.659	2	5	-	-	-	2 & 5	973210	E1322W, E1462I,W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
817738	0.659	2	5	-	-	-	2 & 5	973278	E1322W, E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
817740	0.659	2	5	-	-	-	2 & 5	973398	E1322W,XW, E1462I,XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
817744	0.659	2	5	-	-	-	2 & 5	973280	E1322W,XW E1462I,W,XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818060	0.659	2	5	-	-	-	2 & 5	973282	E1322W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818102	0.659	2	5	-	-	-	2 & 5	973400	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818104	0.659	2	5	-	-	-	2 & 5	973354 OBS	E1462I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818110	0.659	2	5	-	-	-	2 & 5	973402 OBS	E1462I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818112	0.659	2	5	-	-	-	2 & 5	973480	E1462I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818188	0.659	2	5	-	-	-	2 & 5	973214	E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818190	0.659	2	5	-	-	-	2 & 5	973284	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
818196	0.659	2	5	-	-	-	2 & 5	973404	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
819386 OBS	0.659	2	5	-	-	7	2, 5 & 7	973356	E1462I	LH	0.796	20	3	-	7	20, 3 & 7	DX10	1460HD103	503701
819417	0.659	2	5	-	-	-	2 & 5	973362 OBS	E1462W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
970900	0.659	2	5	-	-	-	2 & 5	973352	E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
970904	0.659	2	5	-	-	-	2 & 5	973216	E1322W, E1462I,W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
970940	0.659	2	5	-	-	-	2 & 5	973484	E1462I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971020 OBS	0.659	2	5	-	-	-	2 & 5	973414	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971024	0.659	2	5	-	-	-	2 & 5	973416 OBS	E1462I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971398	0.659	2	5	-	-	-	2 & 5	973482 OBS	E1462I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971400	0.659	2	5	-	-	-	2 & 5	973486 OBS	E1462I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971486	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973088	E1322W, 1462W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971488	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973138	E1322W, E1462I,W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971490	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973090	E1462I, E1462W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971492	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973140	E1462I, W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971574	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973092 OBS	E1462W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971576	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973094	E1462I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971578	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973142	E1462I, W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971593	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973096 OBS	E1462W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971595	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973098	E1462I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971607	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973100	E1462I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971668	0.659	2	5	-	-	-	2 & 5	973368	E1462I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971670	0.659	2	5	-	-	-	2 & 5	973370	E1462I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971672	0.659	2	5	-	-	-	2 & 5	973372	E1462I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971677	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973102 OBS	E1202I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971679	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973144	E1202I, W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971681	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973104 OBS	E1202W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971683	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973106	E1202I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINK KIT (328349 Can Upgrade to 503701)
971685	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973146	E1202I, W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971687	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973108 OBS	E1202I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971693	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973110 OBS	E1202I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971695	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973148	E1202I, W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971724	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973112	E1202I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971789	0.659	2	5	8	-	-	2, 5, 8 & 13	973162	E1202I, W E1322I, W	LH	0.796	20	5	-	-	20, 5, 8 & 13	DX10	1460HD103	503701
971791	0.659	2	5	8	-	-	2, 5, 8 & 13	973178	E1202I, W, E1322I	RH	0.796	20	5	-	-	20, 5, 8 & 13	DX10	1460HD103	503701
971802	0.659	2	5	8	-	-	2, 5, 8 & 13	973164	E1202I, E1322I	LH	0.796	20	5	-	-	20, 5, 8 & 13	DX10	1460HD103	503701
971804	0.659	2	5	8	-	-	2, 5, 8 & 13	973180	E1202I, E1322I	RH	0.796	20	5	-	-	20, 5, 8 & 13	DX10	1460HD103	503701
971829	0.659	2	5	-	-	-	2 & 5	973420	E1002I, E1202I & XW, E1302I, E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971837	0.659	2	5	-	-	-	2 & 5	973288	E1002I, W E1202I, W XW E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971839	0.659	2	5	-	-	-	2 & 5	973182	E1202W, I	RH	0.796	20	5	-	-	20 & 5	DX10	1460HD103	503701
971923	0.659	2	5	-	-	-	2 & 5	973374	E1002I, E1202I, E1302I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971927	0.659	2	5	-	-	-	2 & 5	973376	E1002I, E1202I, E1302I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971929	0.659	2	5	-	-	-	2 & 5	973378	E1002I, E1202I, E1302I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971931	0.659	2	5	-	-	-	2 & 5	973218	E1002I, E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971933	0.659	2	5	-	-	-	2 & 5	973220	E1002I, E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971935	0.659	2	5	-	-	-	2 & 5	973222	E1002I, E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971937	0.659	2	5	-	-	-	2 & 5	973224	E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971939	0.659	2	5	-	-	-	2 & 5	973226	E1002I, W E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971941	0.659	2	5	-	-	-	2 & 5	973228	E1002I, W, E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971961	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973150	E1462W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971983	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973152 OBS	E1462W	RH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
971986	0.659	2	3	-	-	-	2 & 3	973426	E1202XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
971990	0.659	2	3	-	-	-	2 & 3	973424	E1202XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972130	0.659	2	5	8	-	-	2, 5, 8 & 13	973166	E1202I, E1322I	LH	0.796	20	5	-	-	20, 5, 8 & 13	DX10	1460HD103	503701
972132	0.659	2	5	8	-	-	2, 5, 8 & 13	973168	E1202I, E1322I	LH	0.796	20	5	-	-	20, 5, 8 & 13	DX10	1460HD103	503701
972201	0.659	2	5	-	-	-	2 & 5	973170	E1202I	LH	0.796	20	5	-	-	20 & 5	DX10	1460HD103	503701
972203 OBS	0.659	2	5	-	-	-	2 & 5	685240	E1202I	LH	0.796	20	5	-	-	20 & 5	DX10	1460HD103	503701
972213 OBS	0.659	2	5	-	-	-	2 & 5	973174	E1202I	LH	0.796	20	5	-	-	20 & 5	DX10	1460HD103	503701
972215 OBS	0.659	2	5	-	-	-	2 & 5	685242	E1202I	LH	0.796	20	5	-	-	20 & 5	DX10	1460HD103	503701
972227	0.659	2	3	-	-	-	2 & 3	973470	E1202I, E1202W, E 1202XW, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972246	0.659	2	3	-	-	-	2 & 3	973286	E1002W, E1202I, W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINK KIT (328349 Can Upgrade to 503701)
972248	0.659	2	3	-	-	-	2 & 3	973288	E1002I, W E1202I, W XW E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972250	0.659	2	3	-	-	-	2 & 3	973290	E1002I, W E1202I, W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972278 OBS; Replaced by 10009120	0.659	2	3	-	-	-	2 & 3	973280	E1322W, XW E1462I, W, XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972423	0.659	2	3	-	-	-	2 & 3	973422	E1322XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972425 OBS; Replaced by 10009119	0.659	2	3	-	-	-	2 & 3	973278	E1322W, E1462I, W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972489	0.659	2	3	-	-	-	2 & 3	973420	E1002I, E1202I & XW, E1302I, E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972495	0.659	2	5	-	-	-	2 & 5	973230	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972497	0.659	2	5	-	-	-	2 & 5	973232	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972512	0.659	2	3	-	-	-	2 & 3	973472	E1202XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972525	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973114	E1002W, E1202I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972529 OBS	0.659	2	5	-	-	7	2, 5 & 7	973388	E1462I	LH	0.796	20	3	-	7	20, 3 & 7	DX10	1460HD103	503701
972535	0.659	2	3	-	-	-	2 & 3	973434	E1322XW, E1462W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972537	0.659	2	3	-	-	-	2 & 3	973458	E1202XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972563	0.659	2	5	-	-	-	2 & 5	973262	E1202I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972597	0.659	2	5	8	-	-	2, 5 & 8	973452 OBS	NI	RH	0.796	20	5	-	-	20, 5 & 8	DX10	1460HD103	503701
972644	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973116	E1202I, W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972646	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973118	E1202W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972668	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973120	E1462I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972670	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973122	E1462I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972682	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973124	E1462W, I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972758	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973126	E1202W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972760	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973128	E1202W	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972766	0.659	2	3	-	-	-	2 & 3	973488	E1202XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972768	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973134	E1202I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972774 OBS	0.659	2	3	-	-	-	2 & 3	685208	E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972776 OBS	0.659	2	3	-	-	-	2 & 3	685202	E1462	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972794 OBS; Replaced by 10028249	0.659	2	3	-	-	-	2 & 3	973398	E1322W, XW, E1462I, XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972796	0.659	2	3	-	-	-	2 & 3	973454	E1322XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972820 OBS	0.659	2	5	-	-	-	2 & 5	973264	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972822	0.659	2	5	-	-	-	2 & 5	973266	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972824	0.659	2	5	-	-	-	2 & 5	973268	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972826	0.659	2	5	-	-	-	2 & 5	973270	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972828	0.659	2	5	-	-	-	2 & 5	973272	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Centre Mounted Brake Knuckles											
NUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	NUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINK KIT (328349 Can Upgrade to 503701)
972830	0.659	2	5	-	-	-	2 & 5	973274	E1202I,W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972832 OBS	0.659	2	5	-	-	-	2 & 5	685222	E1202	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972834 OBS	0.659	2	5	-	-	-	2 & 5	685224	E1202W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972836	0.659	2	5	-	-	-	2 & 5	685226	E1202W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972838	0.659	2	5	-	-	-	2 & 5	973392	E1202W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972840	0.659	2	5	-	-	-	2 & 5	973394	E1202W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972842	0.659	2	5	-	-	-	2 & 5	973396	E1202W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972844 OBS	0.659	2	5	-	-	-	2 & 5	685228	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972846 OBS	0.659	2	5	-	-	-	2 & 5	685230	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972848 OBS	0.659	2	5	-	-	-	2 & 5	685232	E1322	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972850 OBS	0.659	2	5	-	-	-	2 & 5	685234	E1322I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972852	0.659	2	5	-	-	-	2 & 5	685236	E1322, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972854	0.659	2	5	-	-	-	2 & 5	685238	E1322, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972858 OBS	0.659	2	5	-	-	-	2 & 5	973292	E1202I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972860 OBS	0.659	2	5	-	-	-	2 & 5	973294	E1202I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972862	0.659	2	5	-	-	-	2 & 5	973276	E1202I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972866	0.659	2	3	-	-	-	2 & 3	685204	E1322, E1462	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972920 OBS	0.659	2	3	-	-	-	2 & 3	973210	E1322W, E1462W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972921 OBS	0.659	2	3	-	-	-	2 & 3	973212	E1322W, E1462I,W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972922 OBS	0.659	2	3	-	-	-	2 & 3	973214	E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972923	0.659	2	3	-	-	-	2 & 3	973352	E1462 I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972924	0.659	2	3	-	-	-	2 & 3	973216	E1322W, E1462I,W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972925	0.659	2	3	-	-	-	2 & 3	973218	E1002I, E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972926	0.659	2	3	-	-	-	2 & 3	973220	E1002I, E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972927	0.659	2	3	-	-	-	2 & 3	973222	E1002I, E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972928	0.659	2	3	-	-	-	2 & 3	973224	E1202I, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972929	0.659	2	3	-	-	-	2 & 3	973226	E1002I,W E1202I,W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972930	0.659	2	3	-	-	-	2 & 3	973228	E1002I,W, E1202I,W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972931 OBS	0.659	2	3	-	-	-	2 & 3	973230	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972932	0.659	2	3	-	-	-	2 & 3	973232	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972933 OBS; Replaced by 10009119	0.659	2	3	-	-	-	2 & 3	973278	E1322W, E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972934 OBS; Replaced by 10009120	0.659	2	3	-	-	-	2 & 3	973280	E1322W,XW E1462I,W,XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINKKIT (328349 Can Upgrade to 503701)
972938 OBS; Replaced by 972248	0.659	2	3	-	-	-	2 & 3	973288	E1002I, W E1202I, W XW E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972939 OBS; Replaced by 972250	0.659	2	3	-	-	-	2 & 3	973290	E1002I, W E1202I, W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972940	0.659	2	3	-	-	-	2 & 3	973234	E1322W, E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972942 OBS	0.659	23	3	-	-	-	3 & 23	973296	E1002I, W E1202I, W	LH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972944 OBS	0.659	22	3	-	-	-	22, 3 & 14	973324	E1002I E1202I, W	LH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972946 OBS	0.659	23	3	-	-	-	3 & 23	973298	E1002I, W E1202I	LH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972948 OBS	0.659	22	3	-	-	-	22, 3 & 14	973326	E1002I, W E1202I	LH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972950 OBS	0.659	23	3	-	-	-	3 & 23	973300	E1002I, W E1202I, W	LH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972952 OBS	0.659	22	3	-	-	-	22, 3 & 14	973328	E1002I, W E1202I, W	LH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972954 OBS	0.659	23	3	-	-	-	3 & 23	973302	E1002I, W E1202I, W	LH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972956 OBS	0.659	22	3	-	-	-	22, 3 & 14	973330	E1002I, W E1202I, W	LH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972958 OBS	0.659	23	3	-	-	-	3 & 23	973304	E1002I, W E1202I	LH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972960 OBS	0.659	22	3	-	-	-	22, 3 & 14	973332	E1002I, W E1202I	LH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972962 OBS	0.659	23	3	-	-	-	3 & 23	973306	E1002I, W E1202I	LH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972964 OBS	0.659	22	3	-	-	-	22, 3 & 14	973334	E1002I, W E1202I	LH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972966 OBS	0.659	23	3	-	-	-	3 & 23	973318	E1002I, W E1202I, W	RH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972968 OBS	0.659	22	3	-	-	-	22, 3 & 14	973346	E1002I, W E1202I, W	RH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972970 OBS	0.659	23	3	-	-	-	3 & 23	973320	E1002I, W E1202I, W	RH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972972 OBS	0.659	22	3	-	-	-	22, 3 & 14	973348	E1002I, W E1202I, W	RH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
972974 OBS	0.659	23	3	-	-	-	3 & 23	973322	E1002I E1202I, W	RH	0.659	23	3	-	-	23 & 3	DX10	1460HD103	503701
972976 OBS	0.659	22	3	-	-	-	22, 3 & 14	973350	E1002I, W E1202W	RH	0.659	22	3	-	-	22, 3 & 14	DX10	1460HD103	503701
973007	0.659	2	3	-	-	-	2 & 3	973236	E1322W E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973008	0.659	2	3	-	-	-	2 & 3	973238	E1322W E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973009 OBS	0.659	2	3	-	-	-	2 & 3	973240	E1462I, W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973010	0.659	2	3	-	-	-	2 & 3	973242	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973011	0.659	2	3	-	-	-	2 & 3	973244	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973012	0.659	2	3	-	-	-	2 & 3	973246	E1202I, W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973013	0.659	2	3	-	-	-	2 & 3	973248	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINKIT (328349 Can Upgrade to 503701)
973025 OBS; Replaced by 972246	0.659	2	3	-	-	-	2 & 3	973286	E1002W, E1202I,W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973026 OBS; Replaced by 972248	0.659	2	3	-	-	-	2 & 3	973288	E1002I, W E1202I, W XW E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973027 OBS; Replaced by 972250	0.659	2	3	-	-	-	2 & 3	973290	E1002I,W E1202I,W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973035 OBS	0.659	2	3	-	-	-	2 & 3	973250	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973036 OBS	0.659	2	3	-	-	-	2 & 3	973252	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973038 OBS	0.659	2	3	-	-	-	2 & 3	973254	E1202I,W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973039	0.659	2	3	-	-	-	2 & 3	973256	E1202I,W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973040 OBS	0.659	2	3	-	-	-	2 & 3	973258	E1202I,W E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973041 OBS	0.659	2	3	-	-	-	2 & 3	973260	E1322W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973049 OBS; Replaced by 10009119	0.659	2	3	-	-	-	2 & 3	973278	E1322W, E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973050	0.659	2	3	-	-	-	2 & 3	973280	E1322W,XW E1462I,W,XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973051 OBS; Replaced by 10009117	0.659	2	3	-	-	-	2 & 3	973282	E1322W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973052 OBS; Replaced by 972936	0.659	2	3	-	-	-	2 & 3	973284	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973053 OBS; Replaced by 972246	0.659	2	3	-	-	-	2 & 3	973286	E1002W, E1202I,W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973054 OBS; Replaced by 972248	0.659	2	3	-	-	-	2 & 3	973288	E1002I, W E1202I,W XW E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973055 OBS; Replaced by 972250	0.659	2	3	-	-	-	2 & 3	973290	E1002I,W E1202I,W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973063 OBS	0.659	2	3	-	-	19	2, 3 & 19	973444	E1202X W-TDC	RH	0.796	20	3	-	19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
973064 OBS	0.659	2	3	-	-	19	2, 3 & 19	973442	E1202X W-TDC	RH	0.796	20	3	-	19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
973065	0.659	2	3	-	-	19	2, 3 & 19	973446	E1202XW-TDC	RH	0.796	20	3	-	19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
973066 OBS	0.659	2	3	-	-	19	2, 3 & 19	973440	E1202X W-TDC	LH	0.796	20	3	-	19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
973067 OBS	0.659	2	3	-	-	19	2, 3 & 19	973436	E1202X W-TDC	LH	0.796	20	3	-	19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
972935 OBS; Replaced by 10009117	0.659	2	3	-	-	-	2 & 3	973282	E1322W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972936	0.659	2	3	-	-	-	2 & 3	973284	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINK KIT (328349 Can Upgrade to 503701)
972937 OBS; Replaced by 972246	0.659	2	3	-	-	-	2 & 3	973286	E1002W, E1202I, W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973021 OBS; Replaced by 10009119	0.659	2	3	-	-	-	2 & 3	973278	E1322W, E1462I, W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973022 OBS; Replaced by 10009120	0.659	2	3	-	-	-	2 & 3	973280	E1322W,XW E1462I,W,XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973023 OBS; Replaced by 10009117	0.659	2	3	-	-	-	2 & 3	973282	E1322W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973024 OBS; Replaced by 972936	0.659	2	3	-	-	-	2 & 3	973284	E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973068 OBS	0.659	2	3	-	-	19	2, 3 & 19	973438	E1202XW-TDC	LH	0.796	20	3	-	19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
973075	0.659	2	3	8	11	-	2, 3, 8, 11 & 13	973136	E1462W	LH	0.796	20	3	11	-	20, 3, 8, 11, 13	DX10	1460HD103	503701
973204	0.659	2	3	-	-	-	2 & 3	685244	E1202I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973206 OBS	0.659	2	3	-	-	-	2 & 3	685246	E1202I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
973208 OBS	0.659	2	3	-	-	-	2 & 3	685248	E1202I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
685308	0.659	2	3	8	11		2,3,8,11&13	685382	E1002	LH	0.796	20	3	11		20,3,8,11,13	DX10	1460HD103	503701
10150828	0.659	2	3	8	11		2,3,8,11 & 13	10150824	E1002IR	RH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
972108 OBS;	0.659	2	3				2 & 3	972229	E1202I, E1322I	LH	0.659	2	3			2 & 3	DX10	1460HD103	503701
972880	0.659	2	3	8	11		2,3,11,13 & 8	685380	E1002XW, E1202XW	LH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
685310	0.659	2	3	8	11		2,3,8,11&13	685384	E1002	RH	0.796	20	3	11		20,3,8,11,13	DX10	1460HD103	503701
972888	0.659	2	3	8	11		2,3,11,13 & 8	973456	E1002XW, E1202XW	LH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
972427 OBS	0.659	2	3				2 & 3	685250	E1202I	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
972579	0.659	2	5	8			2,5,8 & 13	685262	E1462I	LH	0.796	20	5			20,5,8 & 13	DX10	1460HD103	503701
971752 OBS	0.659	2	5			7	2,5 & 7	973418	E1462I	RH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
972276	0.659	2	3				2 & 3	685270	E1322XW, E1462XW	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
972162 OBS;	0.659	2	3				2 & 3	972310	E1202I, E1322I	LH	0.659	2	3			2 & 3	DX10	1460HD103	503701
972288 OBS	0.659	2	3				2 & 3	10029239	E1202I	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
970948 OBS	0.659	2	5				2,5	685270	E1322XW, E1462XW	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
972555	0.659	2	5				2,5	685302	E1202I	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
970638	0.659	2	5				2,5	685306	E1322XW	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
972746 OBS	0.659	2	3				2 & 3	685306	E1322XW	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
970952 OBS	0.659	2	5				2,5	973434	E1322XW , E1462W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8" .659" Brake Bolt Hole Knuckles								3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINK KIT (328349 Can Upgrade to 503701)
970642 OBS	0.659	2	5				2,5	973422	E1322XW	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972569 OBS	0.659	2	5	8			2,5,8 & 13	685252	E1462I	LH	0.796	20	5			20,5,8 & 13	DX10	1460HD103	503701
819376 OBS	0.659	2	5			7	2,5 & 7	973406	E1462I	RH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
10036234	0.659	2	3	8	11		2,3,8,11 & 13	10025888	E1462W	LH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
972573 OBS	0.659	2	5	8			2,5,8 & 13	685256	E1462I	LH	0.796	20	5			20,5,8 & 13	DX10	1460HD103	503701
972577 OBS	0.659	2	5	8			2,5,8 & 13	685260	E1462I	LH	0.796	20	5			20,5,8 & 13	DX10	1460HD103	503701
970902	0.659	2	5				2 & 5	973234	E1322W, E1462I,W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972106 OBS; Replaced by 972227	0.659	2	3				2 & 3	973470	E1202I, E1202W, E1202XW, E1322I	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972531 OBS	0.659	2	5			7	2,5 & 7	973390	E1462I	LH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
972527 OBS	0.659	2	5			7	2,5 & 7	973386	E1462I	LH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
819390 OBS	0.659	2	5			7	2,5 & 7	973360	E1462I	LH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
817729	0.659	2	5				2 & 5	973212	E1322W, E1462I,W	LH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972158	0.659	2	5	8			2,5 & 8	685214	E1322XW	LH	0.796	20	5			20,5 & 8	DX10	1460HD103	503701
10009117	0.659	2	3				2,3	973282	E1322W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
972575 OBS	0.659	2	5	8			2,5,8 & 13	685258	E1462I	RH	0.796	20	5			20,5,8 & 13	DX10	1460HD103	503701
972282 OBS; Replaced by 10009117	0.659	2	3				2 & 3	973282	E1322W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
819388 OBS	0.659	2	5			7	2,5 & 7	973358	E1462I	LH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
971320	0.659	2	5	8			2,5 & 8	685216	E1322XW	RH	0.796	20	5			20,5 & 8	DX10	1460HD103	503701
10150826	0.659	2	3	8	11		2,3,8,11 & 13	10150822	E-1002IR	LH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
10036236	0.659	2	3	8	11		2,3,8,11 & 13	10036238	E-1002IR, E-1202IR, E-1322LW	LH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
972762 OBS; Replaced by 971490	0.659	2	3	8	11		2,3,8,11 & 13	973090	E1462I, E1462W	LH	0.796	20	3	11	-	20,3,8,11 & 13	DX10	1460HD103	503701
972571	0.659	2	5	8			2,5,8 & 13	685254	E1462I	RH	0.796	20	5			20,5,8 & 13	DX10	1460HD103	503701
819396 OBS	0.659	2	5			7	2,5 & 7	973412	E1462I	RH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
10009120	0.659	2	3				2 & 3	973280	E1322W,X W E1462I,W, XW	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
819394 OBS	0.659	2	5		7		2,5 & 7	973410	E1462I	RH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701

Knuckle Conversion Chart

Conversion Chart from 5/8" to 3/4" Bolt Hole Knuckles - Sorted in 5/8" Knuckle Part Number Sequence

5/8” .659” Brake Bolt Hole Knuckles								3/4” .796” Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles											
KNUCKLE ASSY PART NO.	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Sensor Sleeve	Spindle	Misc.	TYPE	KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PINKIT (328349 Can Upgrade to 503701)
971833	0.659	2	5				2 & 5	973286	E1002W, E1202I,W E1322I	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
819392 OBS	0.659	2	5			7	2,5 & 7	973408	E1462I	RH	0.796	20	3		7	20,3 & 7	DX10	1460HD103	503701
10009119	0.659	2	3				2 & 3	973278	E1322W, E1462I,W	RH	0.796	20	3	-	-	20 & 3	DX10	1460HD103	503701
10028249	0.659	2	3				2 & 3	973398	E1322W, XW, E1462 I,XW	RH	0.796	20	3		-	20 & 3	DX10	1460HD103	503701
10007063	0.659	2	3			26	2,3 & 26	10009050	E-1202XW, E- 1462XW	LH	0.796	20	3		26	20,3 & 26	DX10	1460HD103	503701
10009053	0.659	2	3			26	2,3 & 26	10009052	Not used	LH	0.796	20	3		26	20,3 & 26	DX10	1460HD103	503701
10036232	0.659	2	3	8	11		2,3,8,11 & 13	10036240	E-1002IR,RW, E-1202IR,RW, E-1322LW	LH	0.796	20	3	11		20,3,8,11 & 13	DX10	1460HD103	503701
685356	0.659	2	3	8	11		2,3,8,11 & 13	10082070	E1202I	LH	0.796	20	3	11	-	20,3,8,11 & 13	DX10	1460HD103	503701
972559	0.659	2	5				2,5	685300	E1202I	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
972764 OBS; Replaced by 972682	0.659	2	3	8	11		2,3,8,11 & 13	973124	E1462W,I	LH	0.796	20	3	11	-	20, 3, 8, 11 & 13	DX10	1460HD103	503701
972778	0.659	2	5				2,5	10042022	E-1002IR, E1202IR	LH	0.796	20	3			20 & 3	DX10	1460HD103	503701
685268	0.659	25	5				25 & 5	10009118	E-1002IL, E1202IL,IR,L W,XW, E1252IL,LW, E1302IL, E1322IL, E1462XW	RH	0.796	20	3			20 & 3	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973492	TDC	LH	0.796	20	3		19	20,3 & 19	DX10	1460HD103 1460HD104	503700
-	-	-	-	-	-	-	-	973494	TDC	LH	0.796	20	3		19	20,3 & 19	DX10	1460HD103	503700
-	-	-	-	-	-	-	-	973496 OBS; Replaced by 973468	TDC	RH	0.796	20	3		19	20,3 & 19	DX10	1460HD103 1460HD104	503700
-	-	-	-	-	-	-	-	973498	TDC	RH	0.796	20	3		19	20,3 & 19	DX10	1460HD103	503700
-	-	-	-	-	-	-	-	973308 OBS	E1202W	LH	0.659	23	3		-	23 & 3	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973310 OBS	E1202W	LH	0.659	23	3		-	23 & 3	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973312 OBS	E1202W	LH	0.659	23	3		-	23 & 3	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973336 OBS	E1202W	LH	0.659	22	3		-	22, 3 & 14	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973338 OBS	E1202W	LH	0.659	22	3		-	22, 3 & 14	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973340	E1202W	LH	0.659	22	3		-	22, 3 & 14	DX10	1460HD103	503701
-	-	-	-	-	-	-	-	973462	E1322W, TDC	LH	0.796	20	3		19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
-	-	-	-	-	-	-	-	973464	E1322W, TDC	RH	0.796	20	3		19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
-	-	-	-	-	-	-	-	973466	E1322W, TDC	LH	0.796	20	3		19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
-	-	-	-	-	-	-	-	973468	E1322W, TDC	RH	0.796	20	3		19	20, 3 & 19	DX10	1460HD103 1460HD104	503700
-	-	-	-	-	-	-	-	973490	E1322W, TDC	LH	0.796	20	3		19	20, 3 & 19	DX10	1460HD103 1460HD104	503700

Knuckle Chart

3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
685312	E-1202IC, TDC	LH	0.796	20	5		19		20,5 & 19	DX10	1460HD103 1460HD104	503700
685314	E-1202IC, TDC	LH	0.796	20	5		19		20,5 & 19	DX10	1460HD103 1460HD104	503700
685316	E-1462IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685318	E-1462IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685320	E-1202IC, E-1322IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685322	E-1202IC, E-1322IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685324	E-1202IC, TDC	LH	0.796	20	5		19		20,5 & 19	DX10	1460HD103 1460HD104	503700
685326	E-1202IC, TDC	LH	0.796	20	5		19		20,5 & 19	DX10	1460HD103 1460HD104	503700
685328	E-1462IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685330	E-1462IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685332	E-1202IC, E-1322IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685334	E-1202IC, E-1322IC, TDC	LH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685336	E-1462IC, TDC	RH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685338	E-1462IC, TDC	RH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685340	E-1202IC, E-1322IC, TDC	RH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685342	E-1202IC, E-1322IC, TDC	RH	0.796	20	5		19	8	20,5, 8 & 19	DX10	1460HD103 1460HD104	503700
685344	E-1202IC, TDC	RH	0.796	20	5		19		20,5 & 19	DX10	1460HD103 1460HD104	503700
693049	TDC	RH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
693067	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10004456	E-1002IR, E-1202IR	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10009121	E-1002IL,IR,LW, E-1202IL,LW, E1322IL	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10010242	E1462XW	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10033994	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10033996	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10033998	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10034000	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10034002	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10034004	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10034006	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10034008	TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700

Knuckle Chart

3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
10036028	E-1202IL, E-1252IL, E-1322IL	LH	0.796	20	3		-		20 & 3	DX10	1460HD103	503701
10036030	E-1202IL, E-1252IL, E-1322IL	LH	0.796	20	3		-		20 & 3	DX10	1460HD103	503701
10036032	E-1202IL, E-1252IL, E-1322IL	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10036056	E-1002IL, E-1252IL, E-1302IL, E-1322IL	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10036058	E-1002IL, E-1252IL, E-1302IL, E-1322IL	LH	0.796	20	3		-	-	20 & 3	DX10	1460HD103	503701
10036060	E-1002IL, E-1252IL, E-1302IL, E-1322IL	LH	0.796	20	3		-	-	20 & 3	DX10	1460HD103	503701
10042012	E-1002IR, E-1202IR	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10042014	E-1002IR, E-1202IR	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10042016	E-1002IR, E-1202IR	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10042018	E-1002IR, E-1202IR	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10042020	E-1002IR, E-1202IR	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10045956	E1462W,TDC	LH	0.796	20	3		19		20 & 3	DX10	1460HD103 1460HD104	503700
10045957	E1462W,TDC	LH	0.796	20	3		19		20,19 & 3	DX10	1460HD103 1460HD104	503700
10046856	E1462I	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10068212	E1322W,TDC	LH	0.796	20	3		19		20 ,3 & 19	DX10	1460HD103 1460HD104	503700
10068214	E1322W,TDC	LH	0.796	20	3		19		20 ,3 & 19	DX10	1460HD103 1460HD104	503700
10109086	E1462I,E1462W,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10109090	E1462I,E1462W,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10109092	E1462I,E1462W,E1202IR,TDC	RH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10109837	E-1252RW,TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10109838	E-1252RW,TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10128434	E1202W,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10128444	E1462W,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10128446	E1462W,E1202W,TDC	RH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10128449	E1202W,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10128450	E1462I,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10136402	E1462I,E1202IR,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10168736	E-1252RW,TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10168738	E-1252RW,TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10168740	E-1252RW,TDC	LH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10168742	E-1252RW,TDC	RH	0.796	20	3		19		20,3 & 19	DX10	1460HD103 1460HD104	503700
10109088	E1202W,E1002I,E1202I,E1202IR,TDC	LH	0.796	20	3	11	19	8	20,3,8,11,19	DX10	1460HD103 1460HD104	503700
10109094	E1202W,E1462I,E1462W,E1002I,E1202,TDC	RH	0.796	20	3	11	19	8	20,3,8,11,19	DX10	1460HD103 1460HD104	503700

Knuckle Chart

3/4" .796" Brake Bolt Hole Knuckles & Top Dead Center Mounted Brake Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
10128445	E1002,E1202IR,TDC	LH	0.796	20	3	11	19	8	20,3,8,11,19	DX10	1460HD103 1460HD104	503700
10128447	E1002,E1202IR,TDC	RH	0.796	20	3	11	19	8	20,3,8,11,19	DX10	1460HD103 1460HD104	503700
10128435	E1002,TDC	LH	0.796	20	3	11	19	8	20,3,8,11,19	DX10	1460HD103 1460HD104	503700
10128436	E1002,TDC	RH	0.796	20	3	11	19	8	20,3,8,11,19	DX10	1460HD103 1460HD104	503700
685346	E1202XW	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
685294	E1202I	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
685296	E1202I	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
685298	E1202I	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10011065 OBS	E1202I	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10211347	E1462I,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10211345	E1462I,TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
685206	Not used, TDC	LH	0.796	20	3	-	19		20, 3 & 19	DX10	1460HD103 1460HD104	503700
685210	Not used	LH	0.796	20	5			8	20,5 & 8	DX10	1460HD103	503701
685212	Not used	RH	0.796	20	5			8	20,5 & 8	DX10	1460HD103	503701
685220	Not used	RH	0.796	20	5			8	20,5 & 8	DX10	1460HD103	503701
973448	Not used	RH	0.796	20	5				20 & 5	DX10	1460HD103	503701
10022940	Not used	LH	0.796	20	3			8	20,3,8 & 13	DX10	1460HD103	503701
10022942	Not used	RH	0.796	20	3			8	20,3,8 & 13	DX10	1460HD103	503701
10025894	Not used	LH	0.796	20	5			8	20,5 & 8	DX10	1460HD103	503701
10025896	Not used	RH	0.796	20	5			8	20,5 & 8	DX10	1460HD103	503701
10027702	Not used	LH	0.796	20	3			8	20,3 & 8	DX10	1460HD103	503701
10027703	Not used	RH	0.796	20	3			8	20,3 & 8	DX10	1460HD103	503701
10059062	Not used, TDC	LH	0.796	20	3		19		20 ,3 & 19	DX10	1460HD103 1460HD104	503700
10063245	Not used, TDC	LH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10063247	Not used, TDC	RH	0.796	20	3	11	19	8	20,3,8,11 & 19	DX10	1460HD103 1460HD104	503700
10067844	Not used, TDC	LH	0.796	20	3		19		20 ,3 & 19	DX10	1460HD103 1460HD104	503700
10067845	Not used, TDC	RH	0.796	20	3		19		20 ,3 & 19	DX10	1460HD103 1460HD104	503700
10081232	Not used, TDC	LH	0.796	20	3		19		20 ,3 & 19	DX10	1460HD103 1460HD104	503700
10094417	Not used	LH	0.796	20	3				20 & 3	DX10	1460HD103	503701
10094419	Not used	RH	0.796	20	3				20 & 3	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972720	E-1462I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972722	E-1462I	RH	0.659	2	5				2 & 5	DX10	1460HD103	503701
10016910	E1462W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
10020434	E-1002IL, E-1002LW, E-1202IL, E-1252II, E-1252LW	LH	0.659	22	3				22,3 & 14	DX10	1460HD103	503701
10020436	E-1002IL, E-1002LW, E-1202IL, E-1252IL, E-1252LW	RH	0.659	22	3				22,3 & 14	DX10	1460HD103	503701
10028240	E-1252RW	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
10028243	E-1252RW	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
10028245	E-1252RW	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
10028251	E-1252RW	RH	0.659	2	3		-		2 & 3	DX10	1460HD103	503701
10036034	E-1002IL,LW, E-1202IL,LW, E-1252IL,LW	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036036	E-1002IL, E-1002LW, E-1202IL, E-1252IL	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036038	E-1002IL,LW, E-1202IL,LW, E-1252IL, E-1252LW	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036040	E-1002IL,LW, E-1202IL,LW, E-1252IL, E-1252LW	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036042	E-1002IL, E-1002LW, E-1202IL, E-1252IL	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036044	E-1002IL, E-1002LW, E-1202IL, E-1252IL	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036046	E-1002IL, E-1002LW, E-1202IL, E-1252II, E-1252LW	LH	0.659	22	3				22, 3 & 14	DX10	1460HD103	503701
10036048	E-1002IL, E-1002LW, E-1202IL, E-1252IL	LH	0.659	22	3				22, 3 & 14	DX10	1460HD103	503701
10036050	E-1002IL, E-1002LW, E-1202IL, E-1252II, E-1252LW	LH	0.659	22	3				22, 3 & 14	DX10	1460HD103	503701
10036052	E-1002IL, E-1002LW, E-1202IL, E-1252IL	LH	0.659	22	3				22, 3 & 14	DX10	1460HD103	503701
10036054	E-1002IL, E-1002LW, E-1202IL, E-1252IL	LH	0.659	22	3				22, 3 & 14	DX10	1460HD103	503701
10036062	E-1002IL,LW, E-1202IL,LW, E-1252IL, E-1252LW	RH	0.659	23	3		-	-	23 & 3	DX10	1460HD103	503701
10036064	E-1002IL,LW, E-1202IL,LW, E-1252IL, E-1252LW	RH	0.659	23	3		-	-	23 & 3	DX10	1460HD103	503701
10036066	E-1002IL,LW, E-1202IL,LW, E-1252IL, E-1252LW	RH	0.659	23	3		-	-	23 & 3	DX10	1460HD103	503701
10036068	E-1002IL, E-1002LW, E-1202IL, E-1252IL, E-1252LW	RH	0.659	22	3			-	22,3 & 14	DX10	1460HD103	503701
10036070	E-1002IL, E-1002LW, E-1202IL, E-1252IL, E-1252LW	RH	0.659	22	3			-	22,3 & 14	DX10	1460HD103	503701
10036258	E-1202LW, E-1252LW	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036260	E-1202LW, E-1252LW	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036262	E-1202LW, E-1252LW	LH	0.659	23	3				23 & 3	DX10	1460HD103	503701
10036264	E-1252LW	LH	0.659	22	3				22,14 & 3	DX10	1460HD103	503701
10036266	E-1252LW	LH	0.659	22	3				22,14 & 3	DX10	1460HD103	503701
10036268	E-1252LW	LH	0.659	22	3				22,14 & 3	DX10	1460HD103	503701
10094195	E1462I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
10100263	E1462I	LH	0.659	2	3	11	-	8	2,3,8,11 & 13	DX10	1460HD103	503701
10122103	E1462I	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
10150830	E-1202IR	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
972788	E1002W	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972790	E1002W	RH	0.659	22	5				22 & 5	DX10	1460HD103	503701
972011 OBS	E1002W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
971100	E1002W,E1322I	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972897	E1002W,E1202W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972173	E1002W,E1202W	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972632 OBS	E1002XW,E1202W,E1202XW	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
685292	E1002XW	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
971895	E1002I,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971827	E1202I,E1002I,E1202W,IL	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971893	E1202W,E1002I,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972114	E1002I,E1202I	LH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972116	E1002I,E1202I	RH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972118 OBS	E1202I,E1002I	LH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972120 OBS	E1202I,E1002I	RH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972122	E1202I,E1002I	LH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972124 OBS	E1202I,E1002I	RH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972144 OBS	E1002I,E1202I	LH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972146 OBS	E1202I,E1002I	LH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972148	E1202I,E1002I	LH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972150 OBS	E1202I,E1002I	RH	0.659	22	5				22,5 & 14	DX10	1460HD103	503701
972154 OBS	E1002I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972099	E1002I,E1322I	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972284 OBS	E1002I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972286	E1002I,E1322I	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
971907 OBS	E1002I,E1202I	LH	0.659	23	5				23,5	DX10	1460HD103	503701
971905 OBS	E1002I,E1202I	LH	0.659	23	5				23,5	DX10	1460HD103	503701
971921 OBS	E1002I,E1202I	RH	0.659	23	5				23,5	DX10	1460HD103	503701
971919 OBS	E1002I,E1202I	RH	0.659	23	5				23,5	DX10	1460HD103	503701
972638 OBS	E1002I	LH	0.659	23	5				23,5	DX10	1460HD103	503701
972640 OBS	E1002I	RH	0.659	23	5				23,5	DX10	1460HD103	503701
972689	E1002I	LH	0.659	22	5				22,5	DX10	1460HD103	503701
972691	E1002I	RH	0.659	22	5				22,5	DX10	1460HD103	503701
972910 OBS	E1002I	LH	0.659	23	5				23,5	DX10	1460HD103	503701
972687	E1002I,E1322I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971845	E1002I,E1202I,W,E1322I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
685352	E1002I,E1202I,W,E1322I	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
685354	E1202IR	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
971889	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971865 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971861 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971847 OBS	E1202W,E1202I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
971863 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972171	E1202W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972431 OBS	E1202W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972433	E1202W,E1202I	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972435 OBS	E1202W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972437 OBS	E1202W,E1202I	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972166 OBS	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972168	E1202W,E1202I	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972466	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972470	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972312	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972314	E1202W,E1202I	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972472	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972468 OBS	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972474 OBS	E1202W,E1202I	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971943 OBS	E1202W,E1202I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
971945 OBS	E1202W,E1202I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
971947 OBS	E1202W,E1202I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
971949 OBS	E1202W,E1202I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972177	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972181	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972183	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972185	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972187	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972189 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972191 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972193 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972195 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972197 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972199 OBS	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972634 OBS	E1202W	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972211	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972217 OBS	E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972219 OBS	E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971952 OBS	E1202W,E1202I,E1322I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
971954 OBS	E1202W,E1202I,E1322I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972179	E1202W,E1202I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972914 OBS	E1202W	LH	0.659	23	5			8	23,5 & 8	DX10	1460HD103	503701
972915	E1202W	RH	0.659	23	5			8	23,5 & 8	DX10	1460HD103	503701
972918 OBS	E1202W	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972919 OBS	E1202W	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972581 OBS	E1202W	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972260 OBS	E1202W,E1202I,E1322I	RH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972262 OBS	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972268 OBS	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972815 OBS	E1202W	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
973200	E1202XW	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
973202	E1202XW	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
685264	E1202XW	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972480 OBS	E1322I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972435 OBS	E1202W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
685266	E1462W,E1462XW	LH	0.659	25	5				25 & 5	DX10	1460HD103	503701
971841	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971843 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971851 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971855 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971859 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971853	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971849	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971831 OBS	E1462W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971897 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971899	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971901 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971903 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971909	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971911 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971915 OBS	E1322W	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971913	E1322W	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971917	E1322W	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971979	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971971 OBS	E1322XW	RH	0.659	1 & 16	5	15			1&16,5,13 &15	-	Not Available	-
971981 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
971988	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972160 OBS	E1202I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972252	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972256	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972254 OBS	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972258 OBS	E1202W	LH	0.659	2	3				2 & 3	DX	806334	328349
972140 OBS	E1202W	LH	0.659	2	5				2 & 5	DX	806334	328349
972142 OBS	E1202W	LH	0.659	2	5				2 & 5	DX	806334	328349
972221 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972224 OBS	E1462I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972205 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972207 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972209 OBS	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972234	E1202I	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972270	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972280 OBS	E1462I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972420	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972482	E1322I	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972485	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972487 OBS	E-1202W	LH	0.659	2	3				2 & 3	DX	806334	328349
972491 OBS	E1202I	LH	0.659	2	3		12	8	2,3,8 & 12	DX10	1460HD103	503701
972493 OBS	E1202I	RH	0.659	2	3		12	8	2,3,8 & 12	DX10	1460HD103	503701
972499 OBS	E1322W	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972591 OBS	E1462I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972593	E1202I,E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972595	E1462I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972730 OBS	E1202I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972308 OBS	E1202W	LH	0.659	2	3				2 & 3	DX	806334	328349
972784 OBS	E1202W	LH	0.659	2	3				2 & 3	DX	806334	328349
972136 OBS	E1202W	LH	0.659	2	5				2 & 5	DX	806334	328349
972138 OBS	E1202W	LH	0.659	2	5				2 & 5	DX	806334	328349
971611	E1462W,E1322W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971613	E1462W,E1322W	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971666 OBS	E1462W,E1322W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972025 OBS	E1322W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972501 OBS	E1322W	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972503 OBS	E1322W	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972505 OBS	E1322W,E1462I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972507 OBS	E1322I,E1462I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972509	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
971633	E1462W,E1322W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
971634	E1462W,E1322W	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972583 OBS	E1322W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972585	E1322W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972587 OBS	E1322W	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972589 OBS	E1462I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972599 OBS	E1322W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972680 OBS	E1322W	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
972685 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
817737	E1322W,E1322I	RH	0.659	22	5				22 & 5	DX10	1460HD103	503701
972156 OBS	E1322W,E1322I	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
972272 OBS	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972274 OBS	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
817745 OBS	E1322W,E1322I	RH	0.659	22	5				22 & 5	DX10	1460HD103	503701
971251	E1322XW,E1462I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
685274	E1462I	LH	0.659	2	3	11		8	2,3,8, & 11	DX10	1460HD103	503701
685276	E1462I	LH	0.659	2	3	11		8	2,3,8, & 11	DX10	1460HD103	503701
685278	E1462I	LH	0.659	2	3	11		8	2,3,8, & 11	DX10	1460HD103	503701
971956	E1322I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
971958	E1322I	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972642 OBS	E1462I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972648	E1322I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972650	E1322I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972652	E1462I	LH	0.659	2	3	11		8	2,3,8 & 11	DX10	1460HD103	503701
972654	E1462I	RH	0.659	2	3	11		8	2,3,8 & 11	DX10	1460HD103	503701
972656	E1462I	LH	0.659	2	3	11		8	2,3,8 & 11	DX10	1460HD103	503701
972658 OBS	E1462I	RH	0.659	2	3	11		8	2,3,8 & 11	DX10	1460HD103	503701
972097	E1322I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972093 OBS	E1322I	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLE MODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972095 OBS	E1322I	RH	0.659	22	5				22 & 5	DX10	1460HD103	503701
972126 OBS	E1322I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972128 OBS	E1322I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
972449	E1322I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972451	E1322I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
971992 OBS	E1322I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971994 OBS	E1322I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971999 OBS	E1462I	LH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
972552	E1462W	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
972557	E-1322I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972561	E-1322I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972565	E-1322I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972567 OBS	E1462I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972798	E1322I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972903 OBS	E1322I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972905	E1322I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972726 OBS	E1322W	LH	0.659	23	5				23 & 5	DX10	1460HD103	503701
972728 OBS	E1322W	RH	0.659	23	5				23 & 5	DX10	1460HD103	503701
972043	E1322I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972429 OBS	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972674	E1322I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972676	E1322I	RH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972678 OBS	E1322I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972236 OBS	E1322XW	LH	0.659	2	5	15		8	2,5,8,13 & 15	-	Not Available	-
972238 OBS	E1322XW	LH	0.659	1 & 16	5	15			1&16,5,13 & 15	-	Not Available	-
971963 OBS	E1322XW	RH	0.659	2	5	15		8	2,5,8,13 & 15	-	Not Available	-
970734 OBS	E1462I	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
817741 OBS	E1462I	RH	0.659	22	5				22 & 5	DX10	1460HD103	503701
970784 OBS	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
970632 OBS	E1462I	RH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
818532	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
818534	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
818536	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
819080 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
819413 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
971022	E1462I,E1462W	RH	0.659	2	5				2,5	DX10	1460HD103	503701
971296	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
971298	E1462I,E1462XW	RH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
971758 OBS	E1462W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971310 OBS	E1462I	LH	0.659	9	5				9 & 5	DX10	1460HD103	503701
971312 OBS	E1462I	RH	0.659	9	5				9 & 5	DX10	1460HD103	503701
818932	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
818934	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
818936	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
819897	E1462I	RH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
819007	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT(328349 Can Upgrade to 503701)
970570	E1462W,E1462I	RH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
970698 OBS	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
970700	E1462W,E1462I	RH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
970670	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
970672 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
970674 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
970676 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
970678 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
970640	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
970950 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972001 OBS	E1462I	LH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
972003	E1462I	LH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
972009	E1462I	RH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
972005 OBS	E1462I	RH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
972007 OBS	E1462I	RH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
971473 OBS	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
971591 OBS	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972040 OBS	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
970680 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972514	E1462I	LH	0.659	2	3				2,3	DX10	1460HD103	503701
972519	E1462I	LH	0.659	2	3				2,3	DX10	1460HD103	503701
972517 OBS	E1462W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
970552 OBS	E1462I	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972533 OBS	E1462I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972636 OBS	E1462I	LH	0.659	2	3				2 & 3	DX10	1460HD103	503701
972660 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972662 OBS	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972664 OBS	E1462I	LH	0.659	9	5				9,5	DX10	1460HD103	503701
972666 OBS	E1462I	RH	0.659	9	5				9,5	DX10	1460HD103	503701
972882	E1462I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972884	E1462I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972886	E1462I	RH	0.659	2	5		12		2,5 & 12	DX10	1460HD103	503701
972889	E1462W	LH	0.659	2	5			8	2,5,8	DX10	1460HD103	503701
972800	E1462I	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972802	E1462I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
972804	E1462I	RH	0.659	2	5				2,5	DX10	1460HD103	503701
685280	E1462I	RH	0.659	2	3	11			2,3 & 11	DX10	1460HD103	503701
685282	E1462I	RH	0.659	2	3	11			2,3 & 11	DX10	1460HD103	503701
685284	E1462I	RH	0.659	2	3	11			2,3 & 11	DX10	1460HD103	503701
10254953	E1462I	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
10254966	E1462I	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
971243	E1462W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971245	E1462W	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971627 OBS	E1462W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
971589 OBS	E1462W	RH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701
972038 OBS	E1462W	LH	0.659	2	5		12	8	2,5,8 & 12	DX10	1460HD103	503701

Knuckle Chart

5/8" .659" Brake Bolt Hole Knuckles

KNUCKLE ASSY PART NO.	AXLEMODEL	LH or RH	BRAKE HOLE DIA.	Flange Pattern	Stop Screw	Spindle	Misc.	Sensor Sleeve	TYPE	BUSHING TYPE	BUSHING PRESIZED SRV PART NO.	KING PIN KIT (328349 Can Upgrade to 503701)
972750	E1462I	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
972756	E1462W	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972752 OBS	E1462I	RH	0.659	2	3	11	12	8	2,3,8,11 & 12	DX10	1460HD103	503701
972754 OBS	E1462W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
973070	E1462W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
973077	E1462XW	LH	0.659	2	5				2,5	DX10	1460HD103	503701
972734 OBS	E1462W	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972738	E1462W	RH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
685348	E1462XW	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
685360	E1462XW	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
685362	E1462W	LH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
685364	E1462W	RH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701
685386	E1462XW	RH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
972243 OBS	E1462W	RH	0.659	2	5				2,5	DX10	1460HD103	503701
971301 OBS	E1462I	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
817722	Not used	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
817732	Not used	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
817733	Not used	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
818184	Not used	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
818186	Not used	RH	0.659	22	5				22 & 5	DX10	1460HD103	503701
818198	Not used	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
970550	Not used	LH	0.659	22	5				22 & 5	DX10	1460HD103	503701
972628	Not used	LH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972630	Not used	RH	0.659	2	5				2 & 5	DX10	1460HD103	503701
972780	Not used	RH	0.659	2	5				2 & 5	DX10	1460HD103	503701
10022929	Not used	LH	0.659	2	3			8	2,3,8 & 13	DX10	1460HD103	503701
10022934	Not used	RH	0.659	2	3			8	2,3,8 & 13	DX10	1460HD103	503701
10022936	Not used	LH	0.659	2	3			8	2,3,8 & 13	DX10	1460HD103	503701
10025889	Not used	LH	0.659	2	5			8	2,5 & 8	DX10	1460HD103	503701
10027695	Not used	LH	0.659	2	3			8	2,3 & 8	DX10	1460HD103	503701
10027697	Not used	RH	0.659	2	3			8	2,3 & 8	DX10	1460HD103	503701
10027699	Not used	LH	0.659	2	3			8	2,3 & 8	DX10	1460HD103	503701
10027700	Not used	RH	0.659	2	3			8	2,3 & 8	DX10	1460HD103	503701
10050008	Not used	RH	0.659	2	3	11		8	2,3,8,11 & 13	DX10	1460HD103	503701

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN100-1	SUPERSEDED BY 10150936	1202TB103-4	971724 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-2	SUPERSEDED BY 10150936	1202TB103-4	971683 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-3 OBS	SUPERSEDED BY 10150930	1202TB103-4	971724 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-4 OBS	SUPERSEDED BY 10150929	1202TB103-4	972525 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-5	SUPERSEDED BY 10150935	1202TB103-4	972525 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-6 OBS	SUPERSEDED BY 10150939	1202TB103-4	685308 685310	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-7 OBS	SUPERSEDED BY 10150931	1202TB103-4	973114 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-8 OBS	SUPERSEDED BY 10150932	1202TB103-4	973112 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN100-9	SUPERSEDED BY 10150937	1202TB103-4	685382 685384	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10032669 OBS		1202TB103-4	973114 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10032670 OBS		1202TB103-4	973112 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131585 OBS		1202TB103-4	10109088 10109094	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131586 OBS		1202TB103-4	10128445 10128447	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10017795	SUPERSEDED BY 10131583	10014281	973114 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10017796	SUPERSEDED BY 10131584	10014281	973112 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131583	SUPERSEDED BY 10150927	10014281	10109088 10109094	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131584	SUPERSEDED BY 10150928	10014281	10128445 10128447	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131587	SUPERSEDED BY 10150933	1202TB103-4	10109088 10109094	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131588	SUPERSEDED BY 10150934	1202TB103-4	10128445 10128447	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131589	SUPERSEDED BY 10150938	1202TB103-4	10128435 10128436	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN101-3		1202TB104-12	972788 972790	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN101-4 OBS		1202TB104-8	971931 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN101-5 OBS		1202TB104-8	971935 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN101-6 OBS		1202TB104-8	971937 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN101-7 OBS		1202TB104-8	971933 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN101-8 OBS		1202TB104-8	971939 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN101-9 OBS		1202TB104-8	971941 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN101-10 OBS		1202TB104-8	972926 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-11 OBS		1202TB104-8	972929 972250	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-12 OBS		1202TB104-8	972930 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-13 OBS		1202TB104-8	972925 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-14 OBS		1202TB104-8	972927 972250	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-15 OBS		1202TB104-8	972928 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-16 OBS		1202TB104-8	973298 973320	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-17 OBS		1202TB104-8	973304 973322	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-18 OBS		1202TB104-8	973306 973318	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-19 OBS		1202TB104-8	973296 973320	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-20 OBS		1202TB104-8	973300 973322	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-21 OBS		1202TB104-8	973302 973318	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-22 OBS		1202TB104-8	973220 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-23 OBS		1202TB104-8	973226 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN101-24 OBS		1202TB104-8	973228 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-25 OBS		1202TB104-8	973218 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-26 OBS		1202TB104-8	973222 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-27		1202TB104-8	973224 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-28 OBS		1202TB104-8	973298 973320	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-29 OBS		1202TB104-8	973304 973322	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-30 OBS		1202TB104-8	973306 973318	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-31 OBS		1202TB104-8	973296 973320	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-32 OBS		1202TB104-8	973300 973322	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-33 OBS		1202TB104-8	973302 973318	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-34 OBS		1202TB104-8	973326 973348	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-35 OBS		1202TB104-8	973332 973350	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-36 OBS		1202TB104-8	973334 973346	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-37 OBS		1202TB104-8	973324 973348	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-38 OBS		1202TB104-8	973328 973350	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN101-39 OBS		1202TB104-8	973330 973346	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN102-1		1202TB105-2 OBS; Replaced by 10134756	971683 971685	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-2 OBS		1202TB105-4	972011 OBS 971100	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN102-3		1202TB105-2 OBS; Replaced by 10134756	972525 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-4		1202TB105-2 OBS; Replaced by 10134756	971724 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN102-5		1202TB105-3	972525 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-6		1202TB105-3	971683 971685	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-7		1202TB105-3	971724 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-8		1462TB103-8	972880 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-9		1462TB103-8	972888 971685	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-10		1462TB103-8	972880 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-11		1462TB103-8	972888 971685	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-12		1202TB105-8	972897 972173	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN102-13		1202TB105-2 OBS; Replaced by 10134756	973114 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-15 OBS RH STEER		1202TB105-8	972632 OBS 685292	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN102-16		1462TB103-8	973456 973146	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN102-17		1462TB103-8	685380 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1002BN103-1 OBS		1202TB103-12	971895 971837	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-2 OBS		1202TB103-12	971827 971829	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-3 OBS		1202TB103-12	971893 971833	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-4 OBS		1202TB103-9	971923 971837	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-5 OBS		1202TB103-9	971927 971829	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-6 OBS		1202TB103-9	971929 971833	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-7		1202TB103-9	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1002BN103-8		1202TB103-9	971935 971839	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN103-10		1202TB103-9	972114 972116	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-11		1202TB103-9	972118 OBS 972120 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-12		1202TB103-9	972122 972124 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-13		1202TB103-12	972144 OBS 972116	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-14		1202TB103-12	972148 972150 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-15		1202TB103-12	972146 OBS 972124 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-16		1202TB103-11	972154 OBS 972099	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-18		1202TB103-14	972284 OBS 972286	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-19		1202TB103-12	971907 OBS 971921 OBS	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-20		1202TB103-12	971905 OBS 971919 OBS	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-21		1202TB103-12	972638 OBS 972640 OBS	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-22		1202TB103-14	972689 972691	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-23		1202TB103-9	971923 971837	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-24 OBS		1202TB103-9	971927 971829	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-25 OBS		1202TB103-9	971929 971833	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1002BN103-26		1202TB103-12	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1002BN103-27		1202TB103-12	971939 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1002BN103-28		1202TB103-12	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1002BN103-29		1202TB103-12	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1002BN103-30		1202TB103-12	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN103-31		1202TB103-12	971941 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1002BN103-32		1202TB103-12	972910 OBS 972640 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1002BN103-33 OBS		1202TB103-12	972927 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-34 OBS		1202TB103-12	972926 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-35 OBS		1202TB103-12	972929 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-36 OBS		1202TB103-12	972930 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-37 OBS		1202TB103-12	972925 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-38	REPLACED BY 10034722	1202TB103-12	972928 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-39		1202TB103-17	972687 971845	815326	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1002BN103-40 OBS		1202TB103-12	973300 973322	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-41		1202TB103-12	973326 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-42		1202TB103-12	973332 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-43		1202TB103-12	973324 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-44 OBS		1202TB103-12	973324 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-45 OBS		1202TB103-12	973328 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-46 OBS		1202TB103-12	973330 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-47		1202TB103-12	973298 973320	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-48		1202TB103-12	973304 973322	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-49		1202TB103-12	973306 973318	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-50 OBS		1202TB103-12	973296 973320	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1002BN103-51		1202TB103-12	973302 973318	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-52		1202TB103-18	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1002BN103-53		1202TB103-9	973374 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-54		1202TB103-9	973376 973420	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-55		1202TB103-9	973378 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-56		1202TB103-12	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-57		1202TB103-12	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-58		1202TB103-12	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-59	REPLACED BY 10034720	1202TB103-12	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-60 OBS		1202TB103-12	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-61	REPLACED BY 10034722	1202TB103-12	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-62		1202TB103-12	973298 973320	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-63		1202TB103-12	973304 973322	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-64		1202TB103-12	973306 973318	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-65		1202TB103-12	973296 973320	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-66		1202TB103-12	973300 973322	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-67		1202TB103-12	973302 973318	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-68		1202TB103-12	973326 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-69		1202TB103-12	973332 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-70		1202TB103-12	973334 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/ RH
1002BN103-71	REPLACED BY 10034733	1202TB103-12	973324 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-72		1202TB103-12	973328 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1002BN103-73		1202TB103-12	973330 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN100-1 OBS		1202TB103-3 OBS; Replaced by 693920	971677 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-2		1202TB103-2 OBS; Replaced by 693921	971683 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-3 OBS		1202TB103-3 OBS; Replaced by 693920	971687 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-4		1202TB103-3 OBS; Replaced by 693920	971693 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-11		1202TB103-2 OBS; Replaced by 693921	972525 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-12		1202TB103-2 OBS; Replaced by 693921	971724 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-13		1202TB103-3 OBS; Replaced by 693920	972525 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-14		1202TB103-3 OBS; Replaced by 693920	971683 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-15		1202TB103-3 OBS; Replaced by 693920	971724 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-16 OBS		1202TB103-4	971724 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-17 OBS	SUPERSEDED BY 10150951	1202TB103-4	971683 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-18	REPLACED BY 10127453	1202TB103-3 OBS; Replaced by 693920	972644 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-19		1202TB103-3 OBS; Replaced by 693920	972768 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-20		1202TB103-3 OBS; Replaced by 693920	973102 OBS 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-21		1202TB103-3 OBS; Replaced by 693920	973108 OBS 973146	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-22		1202TB103-3 OBS; Replaced by 693920	973110 OBS 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-23		1202TB103-3 OBS; Replaced by 693920	973114 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN100-24		1202TB103-3 OBS; Replaced by 693920	973106 973146	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-25		1202TB103-3 OBS; Replaced by 693920	973112 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-26	REPLACED BY 10127455	1202TB103-3 OBS; Replaced by 693920	973116 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-27		1202TB103-3 OBS; Replaced by 693920	973134 973146	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-28 OBS	SUPERSEDED BY 10150945	1202TB103-4	971724 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-29 OBS	SUPERSEDED BY 10150944	1202TB103-4	972525 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-30 OBS	SUPERSEDED BY 10150950	1202TB103-4	972525 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-31	SUPERSEDED BY 10150950	1202TB103-4	685352 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-32 OBS	SUPERSEDED BY 10150952	1202TB103-4	685354 971679	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-33	SUPERSEDED BY 10150940	1202TB103-4	973114 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-34	SUPERSEDED BY 10150941	1202TB103-4	973112 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-35 OBS	SUPERSEDED BY 10150946	1202TB103-4	973114 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-36 OBS	SUPERSEDED BY 10150947	1202TB103-4	973112 973144	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN100-37		1202TB103-4	973106 973146	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10082071	REPLACED BY 10136600	1202TB103-4	10082070 973140	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131593	REPLACED BY 10150942	1202TB103-4	10109088 10109094	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131594	REPLACED BY 10150943	1202TB103-4	10128445 10128447	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131595	REPLACED BY 10150942	1202TB103-4	10109088 10109094	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131596	REPLACED BY 10150949	1202TB103-4	10128445 10128447	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10136600	REPLACED BY 10150953	1202TB103-4	10136402 10109092	10036700	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127453		1202TB103-3 OBS; Replaced by 693920	972644 971695	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
10127454		1202TB103-3 OBS; Replaced by 693920	972768 971685	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127455		1202TB103-3 OBS; Replaced by 693920	973116 973148	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127456		1202TB103-3 OBS; Replaced by 693920	973134 973146	815326	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN101-1		1202TB104-8	971827 971829	971443	816370 816370	1.50-18 UNEF-2A THD	51°-55° 51°-55°
1202BN101-2		1202TB104-3	971889 971839	971443	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1202BN101-3	REPLACED BY 10031606	1202TB104-8	971895 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-4 OBS		1202TB104-8	971827 971829	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-5	REPLACED BY 10031608	1202TB104-8	971893 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-6		1202TB104-3	971865 OBS 971833	971443	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1202BN101-7		1202TB104-3	971861 OBS 971847 OBS	971443	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1202BN101-8		1202TB104-5 OBS. Replaced by 693930	972171 972173	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-9		1202TB104-6	972171 972173	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-11		1202TB104-3	971863 OBS 971837	971443	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1202BN101-12		1202TB104-8	972431 OBS 972433	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-13		1202TB104-8	972435 OBS 972437 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-14		1202TB104-8	972166 OBS 972168	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-15		1202TB104-7 OBS; Replaced by 693928	972466 972433	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-16		1202TB104-7 OBS; Replaced by 693928	972470 972433	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-17		1202TB104-7 OBS; Replaced by 693928	972312 972314	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-18		1202TB104-7 OBS; Replaced by 693928	972472 972314	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-19		1202TB104-7 OBS; Replaced by 693928	972468 OBS 972437 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-20		1202TB104-7 OBS; Replaced by 693928	972474 OBS 972437 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-21	REPLACED BY 1202BN101-83	1202TB104-8	972466 972433	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-22		1202TB104-8	972470 972433	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-23	REPLACED BY 1202BN101-84	1202TB104-8	972312 972314	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-24		1202TB104-8	972472 972314	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-25		1202TB104-8	972468 OBS 972437 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-26		1202TB104-8	972474 OBS 972437 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-27		1202TB104-7 OBS; Replaced by 693928	971931 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-28 OBS		1202TB104-7 OBS; Replaced by 693928	971935 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-29		1202TB104-7 OBS; Replaced by 693928	971937 971833	971443	816366 816367	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-30		1202TB104-7 OBS; Replaced by 693928	971933 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-31		1202TB104-7 OBS; Replaced by 693928	971939 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-32		1202TB104-7 OBS; Replaced by 693928	971941 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-33 OBS		1202TB104-8	971931 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-34	REPLACED BY 10031598	1202TB104-8	971935 971839	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-35	REPLACED BY 10042569	1202TB104-8	971937 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-36		1202TB104-8	971933 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-37	REPLACED BY 10042565	1202TB104-8	971939 971839	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-38 OBS		1202TB104-8	971941 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-39		1202TB104-7 OBS; Replaced by 693928	971943 OBS 971945 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-40		1202TB104-7 OBS; Replaced by 693928	971947 OBS 971949 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-41		1202TB104-7 OBS; Replaced by 693928	971952 OBS 971954 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-42		1202TB104-8	971943 OBS 971945 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-43		1202TB104-8	971947 OBS 971949 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-44		1202TB104-8	971952 OBS 971954 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-45		1202TB104-9 OBS; Replaced by 693929	972177 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-46	REPLACED BY 1202BN101-76	1202TB104-9 OBS; Replaced by 693929	972179 971837	971443	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN101-47		1202TB104-9 OBS; Replaced by 693929	972181 971845	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-48		1202TB104-9 OBS; Replaced by 693929	972183 971847 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-49		1202TB104-9 OBS; Replaced by 693929	972185 971829	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-50		1202TB104-9 OBS; Replaced by 693929	972187 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-51		1202TB104-9 OBS; Replaced by 693929	972189 OBS 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-52		1202TB104-9 OBS; Replaced by 693929	972191 OBS 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-53		1202TB104-9 OBS; Replaced by 693929	972193 OBS 971845	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-54		1202TB104-9 OBS; Replaced by 693929	972195 OBS 971847 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-55		1202TB104-9 OBS; Replaced by 693929	972197 OBS 971829	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-56		1202TB104-9 OBS; Replaced by 693929	972199 OBS 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-57		1202TB104-8	971939 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-58		1202TB104-10	972171 972173	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-59		1202TB104-8	971937 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-60 OBS RH STEER		1202TB104-11	972632 OBS 972634 OBS	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-61		1202TB104-8	971827 971829	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-62		1202TB104-7 OBS; Replaced by 693928	971931 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-63		1202TB104-7 OBS; Replaced by 693928	971935 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-64		1202TB104-7 OBS; Replaced by 693928	971937 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-65		1202TB104-7 OBS; Replaced by 693928	971933 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-66		1202TB104-7 OBS; Replaced by 693928	971939 971839	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-67		1202TB104-7 OBS; Replaced by 693928	971941 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-68		1202TB104-9 OBS; Replaced by 693929	972211 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-69		1202TB104-8	972832 OBS 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-70		1202TB104-8	972834 OBS 971839	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-71		1202TB104-8	972836 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-72 OBS		1202TB104-8	972838 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-73 OBS		1202TB104-8	972840 971839	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-74	REPLACED BY 1202BN101-113	1202TB104-8	972842 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-75		1202TB104-13	972897 972173	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-76		1202TB104-9 OBS; Replaced by 693929	972179 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-77		1202TB104-10	972914 OBS 972915	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN101-78 OBS		1202TB104-14	972918 OBS 972919 OBS	-	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-79		1202TB104-8	972928 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-80		1202TB104-8	972926 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-81		1202TB104-8	972929 972250	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-82		1202TB104-8	972930 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-83		1202TB104-8	972925 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-84		1202TB104-8	972927 972250	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-85		1202TB104-8	973010 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-86		1202TB104-8	973011 972250	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-87		1202TB104-8	973012 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-88		1202TB104-8	973038 OBS 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-89		1202TB104-8	973039 972250	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-90		1202TB104-8	973040 OBS 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-91		1202TB104-8	971935 971839	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-92		1202TB104-8	971937 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-93		1202TB104-8	971931 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-94		1202TB104-8	972838 971837	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-95		1202TB104-8	972840 971839	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-96		1202TB104-8	972842 971833	971443	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN101-97	REPLACED BY 10031624	1202TB104-7 OBS; Replaced by 693928	973222 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-98		1202TB104-7 OBS; Replaced by 693928	973224 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-99		1202TB104-7 OBS; Replaced by 693928	973220 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-100		1202TB104-7 OBS; Replaced by 693928	973226 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-101		1202TB104-7 OBS; Replaced by 693928	973228 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-102		1202TB104-8	973222 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-103		1202TB104-8	973224 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-104		1202TB104-8	973218 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-105		1202TB104-8	973392 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-106		1202TB104-8	973394 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-107		1202TB104-8	973396 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-108		1202TB104-8	973220 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-109	REPLACED BY 10042565	1202TB104-8	973226 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-110	REPLACED BY 10042572	1202TB104-8	973228 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-111	REPLACED BY 10031597	1202TB104-8	973218 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-112	REPLACED BY 10031598	1202TB104-8	973222 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-113 OBS		1202TB104-8	973224 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-114		1202TB104-8	973242 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-115		1202TB104-8	973244 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-116		1202TB104-8	973246 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-117		1202TB104-8	973254 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-118		1202TB104-8	973256 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-119 OBS		1202TB104-8	973258 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-120		1202TB104-8	973308 OBS 973320	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-121		1202TB104-8	973310 OBS 973322	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-122		1202TB104-8	973312 OBS 973318	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-123		1202TB104-8	973296 973320	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-124		1202TB104-8	973300 973322	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-125		1202TB104-8	973302 973318	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-126		1202TB104-8	973336 OBS 973348	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-127		1202TB104-8	973338 OBS 973350	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-128		1202TB104-8	973340 973346	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-129		1202TB104-8	973324 973348	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-130		1202TB104-8	973328 973350	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-131		1202TB104-8	973330 973346	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-132		1202TB104-8	973224 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-133 OBS		1202TB104-8	973222 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-134		1202TB104-8	973218 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-135		1202TB104-8	685222 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-136		1202TB104-8	685224 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-137 OBS		1202TB104-8	685226 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-138		1202TB104-8	973392 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN101-139		1202TB104-8	973394 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-140		1202TB104-8	973396 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-141		1202TB104-8	973242 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-142		1202TB104-8	973244 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-143		1202TB104-8	973246 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-144		1202TB104-8	973254 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-145		1202TB104-8	973256 973290	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-146		1202TB104-8	973258 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN101-147		1202TB104-9 OBS; Replaced by 693929	973162 973178	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-1		1202TB105-3	971677 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-2 OBS		1202TB105-2 OBS; Replaced by 10134756	971683 971685	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-3		1202TB105-3	971693 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-4 OBS		1202TB105-3	971681 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-5		1202TB105-5	972136 OBS 971845	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-6		1202TB105-5	972138 OBS 971837	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-7		1202TB105-5	972140 OBS 971829	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-8		1202TB105-5	972142 OBS 971833	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-9		1202TB105-6	972258 OBS 972260 OBS	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-10		1202TB105-6	972308 OBS 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-11		1202TB105-6	972487 OBS 972489	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN102-12		1202TB105-2 OBS; Replaced by 10134756	972525 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-13		1202TB105-7	972227 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-14		1202TB105-7	972537 972489	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-15		1202TB105-7	971990 972248	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-16		1202TB105-2 OBS; Replaced by 10134756	971724 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-17		1202TB105-7	972512 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-18		1202TB105-7	972581 OBS 972260 OBS	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-19	REPLACED BY 10127458	1202TB105-3	972644 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-20	REPLACED BY 10127459	1202TB105-3	972646 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-21		1202TB105-7	971986 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-22 OBS		1202TB105-3	972525 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-23		1202TB105-3	971683 971685	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-24		1202TB105-3	971724 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-25	REPLACED BY 10127503	1202TB105-3	972758 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-26	REPLACED BY 10127502	1202TB105-3	972760 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-27		1202TB105-7	972766 972489	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-28		1202TB105-7	972784 OBS 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-29	REPLACED BY 10127463	1202TB105-3	972644 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-30	REPLACED BY 10127464	1202TB105-3	972646 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-31		1202TB105-7	972815 OBS 972246	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN102-32		1462TB103-8	972880 971695	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-33		1462TB103-8	972888 971685	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-34		1462TB103-8	972880 971695	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-35		1462TB103-8	972888 971685	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-36		1202TB105-3	972525 971695	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-37		1202TB105-3	971683 971685	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-38		1202TB105-3	971724 971679	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-39		1202TB105-9	972537 972489	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-40		1202TB105-9	971990 972248	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-41		1202TB105-9	971986 972246	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-42		1202TB105-9	972766 972489	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-43		1202TB105-9	972227 972248	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-44		1202TB105-7	973068 OBS 973065	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-45		1202TB105-7	973067 OBS 973064 OBS	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-46		1202TB105-7	973066 OBS 973063 OBS	971443	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-47		1202TB105-3	973102 OBS 973144	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-48		1202TB105-3	973110 OBS 973148	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-49		1202TB105-3	973104 OBS 973144	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-50		1202TB105-2 OBS; Replaced by 10134756	973114 973148	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-51	REPLACED BY 10127460	1202TB105-3	973116 973148	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-52	REPLACED BY 10127461	1202TB105-3	973118 973144	971443	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN102-53		1202TB105-3	973114 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-54		1202TB105-3	973106 973146	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-55		1202TB105-3	973112 973144	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-56	REPLACED BY 10127505	1202TB105-3	973126 973144	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-57	REPLACED BY 10127504	1202TB105-3	973128 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-58	REPLACED BY 10127465	1202TB105-3	973116 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-59	REPLACED BY 10127466	1202TB105-3	973118 973144	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-60		1202TB105-3	973114 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-61		1202TB105-3	973106 973146	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-62		1202TB105-3	973112 973144	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-63		1202TB105-9	973424 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-64		1202TB105-9	973426 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-65		1202TB105-9	973458 973420	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-66 DUAL STEER		1202TB105-10	973200 973202	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-67		1202TB105-9	973472 973286	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-68		1202TB105-9	973488 973420	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-69		1202TB105-9	973470 973288	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-70		1202TB105-9	973440 973446	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-71		1202TB105-10	973200 685264	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN102-72		1202TB105-9	973438 973444	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-73		1202TB105-9	973436 973442	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN102-74		1202TB105-9	685346 973420	971443	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN102-75		1462TB103-8	973456 973146	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-76		1462TB103-8	973456 973146	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-77		1462TB103-8	685380 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN102-78		1462TB103-8	685380 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10037981		1202TB105-10	972632 OBS 973202	971443	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
10110665		1202TB105-2 OBS; Replaced by 10134756	10109088 10109094	10036701	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127463		1202TB105-3	972644 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127464		1202TB105-3	972646 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127465		1202TB105-3	973116 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127466		1202TB105-3	973118 973144	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127502		1202TB105-3	972760 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127503		1202TB105-3	972758 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127504		1202TB105-3	973128 973148	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10127505		1202TB105-3	973126 973144	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131599		1462TB103-8	10128434 10109094	10036701	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
10131600		1462TB103-8	10128449 10128446	10036701	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN103-1		1202TB103-5	971789 971791	815326	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1202BN103-2		1202TB103-5	971802 971804	815326	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1202BN103-3		1202TB103-6	971841 971839	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-4		1202TB103-6	971843 OBS 971837	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-5		1202TB103-6	971855 OBS 971845	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-6 OBS		1202TB103-6	971853 971847 OBS	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-7 OBS		1202TB103-6	971851 OBS 971829	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-8		1202TB103-6	971849 971833	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-9		1202TB103-6	971889 971839	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-10		1202TB103-5	971859 OBS 971829	815326	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1202BN103-11		1202TB103-6	971861 OBS 971847 OBS	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-12		1202TB103-6	971863 OBS 971837	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-13 OBS		1202TB103-6	971865 OBS 971833	815326	816366 816367	1.50-18 UNEF-2A THD	40° 45°
1202BN103-14 OBS		1202TB103-12	971895 971837	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 43°-48°
1202BN103-15		1202TB103-12	971905 OBS 971919 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-16		1202TB103-12	971903 OBS 971839	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 43°-48°
1202BN103-17 OBS		1202TB103-12	971897 OBS 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-18		1202TB103-12	971899 971829	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-19		1202TB103-12	971901 OBS 971833	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-20		1202TB103-12	971909 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-21 OBS		1202TB103-12	971911 OBS 971829	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-22		1202TB103-12	971901 OBS 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-23		1202TB103-12	971907 OBS 971921 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-24	REPLACED BY 10031568	1202TB103-12	971895 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-25	REPLACED BY 10047668	1202TB103-12	971827 971829	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-26	REPLACED BY 10031570	1202TB103-12	971893 971833	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-27 OBS		1202TB103-9	971923 971837	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-28	REPLACED BY 10031591	1202TB103-9	971927 971829	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-29 OBS		1202TB103-9	971929 971833	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-30	REPLACED BY 10031585	1202TB103-9	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-31 OBS		1202TB103-9	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-32	REPLACED BY 10031587	1202TB103-9	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-33		1202TB103-9	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-34 OBS		1202TB103-9	971939 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-35		1202TB103-9	971941 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-36		1202TB103-9	971943 OBS 971945 OBS	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-37		1202TB103-9	971947 OBS 971949 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-38		1202TB103-6	971979 971829	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1202BN103-39		1202TB103-6	971981 OBS 971845	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1202BN103-40		1202TB103-9	971952 OBS 971954 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-41		1202TB103-2 OBS; Replaced by 693921	972160 OBS 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-42		1202TB103-2 OBS; Replaced by 693921	972310 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-43		1202TB103-2 OBS; Replaced by 693921	972252 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-44		1202TB103-2 OBS; Replaced by 693921	971988 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-45		1202TB103-2 OBS; Replaced by 8888884	971986 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-46		1202TB103-2 OBS; Replaced by 8888884	971990 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-47		1202TB103-9	972114 972116	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-48 OBS		1202TB103-9	972118 OBS 972120 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-49 OBS		1202TB103-9	972122 972124 OBS	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-50		1202TB103-5	972130 971791	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-51		1202TB103-5	972132 971804	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-52		1202TB103-12	972148 972150 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-53		1202TB103-12	972166 OBS 972168	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-54 OBS		1202TB103-12	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-55		1202TB103-2 OBS; Replaced by 8888884	972227 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-56		1202TB103-2 OBS; Replaced by 8888884	972229 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-57 OBS		1202TB103-12	971939 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-58		1202TB103-13	972177 971839	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-59		1202TB103-13	972179 971837	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-60		1202TB103-13	972181 971845	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-61 OBS		1202TB103-13	972183 971847 OBS	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-62		1202TB103-13	972185 971829	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-63		1202TB103-13	972187 971833	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-64		1202TB103-13	972189 OBS 971839	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-65		1202TB103-13	972191 OBS 971837	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-66		1202TB103-13	972193 OBS 971845	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-67		1202TB103-13	972195 OBS 971847 OBS	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-68		1202TB103-13	972197 OBS 971829	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-69		1202TB103-13	972199 OBS 971833	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-70		1202TB103-13	972201 971839	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-71		1202TB103-13	972203 OBS 971837	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-72		1202TB103-13	972205 OBS 971845	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-73		1202TB103-13	972207 OBS 971847 OBS	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-74		1202TB103-13	972209 OBS 971829	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-75		1202TB103-13	972211 971833	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-76		1202TB103-13	972213 OBS 971839	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-77		1202TB103-13	972215 OBS 971837	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-78		1202TB103-13	972217 OBS 971845	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-79		1202TB103-13	972219 OBS 971847 OBS	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-80		1202TB103-13	972221 OBS 971829	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-81		1202TB103-13	972234 971833	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-82		1202TB103-15 OBS; Replaced by 693924	972256 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-83 OBS		1202TB103-16 OBS; Replaced by 693922	972268 OBS 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-84		1202TB103-16 OBS; Replaced by 693922	972270 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-85		1202TB103-12	972146 OBS 972124 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-86		1202TB103-12	972144 OBS 972116	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-87 OBS		1202TB103-16 OBS; Replaced by 693922	972288 OBS 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-88 OBS		1202TB103-12	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-89		1202TB103-12	972312 972314	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-90		1202TB103-16 OBS; Replaced by 693922	972420 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-91		1202TB103-9	972312 972314	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-92		1202TB103-16 OBS; Replaced by 693922	972427 OBS 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-95		1202TB103-9	972466 972433	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-96		1202TB103-9	972470 972433	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-97		1202TB103-9	972472 972314	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-98		1202TB103-9	972468 OBS 972437 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-99		1202TB103-9	972474 OBS 972437 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-100		1202TB103-15 OBS; Replaced by 693924	972485 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-101		1202TB103-12	972466 972433	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-102 OBS		1202TB103-12	972470 972433	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-103		1202TB103-12	972312 972314	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-104 OBS		1202TB103-12	972472 972314	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-105		1202TB103-12	972468 OBS 972437 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-106		1202TB103-12	972474 OBS 972437 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-107		1202TB103-2 OBS; Replaced by 693921	972491 OBS 972493 OBS	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-108 OBS		1202TB103-2 OBS; Replaced by 693921	972160 OBS 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-109	REPLACED BY 10031558	1202TB103-12	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-110	REPLACED BY 10042545	1202TB103-12	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-111 OBS		1202TB103-12	971941 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-112		1202TB103-12	971943 OBS 971945 OBS	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-113		1202TB103-12	971947 OBS 971949 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-114		1202TB103-12	971952 OBS 971954 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-116		1202TB103-2 OBS; Replaced by 693921	972512 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-117		1202TB103-2 OBS; Replaced by 693921	972537 972489	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-118		1202TB103-16 OBS; Replaced by 693922	972270 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-119 OBS		1202TB103-2 OBS; Replaced by 693921	972593 972260 OBS	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-120		1202TB103-2 OBS; Replaced by 693921	972310 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-121		1202TB103-16 OBS; Replaced by 693922	972420 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-122		1202TB103-12	971827 971829	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1202BN103-124 OBS		1202TB103-15 OBS; Replaced by 693924	972730 OBS 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-125 OBS		1202TB103-16 OBS; Replaced by 693922	972427 OBS 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-126 OBS		1202TB103-12	971895 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-127		1202TB103-9	971923 971837	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1202BN103-128		1202TB103-9	971927 971829	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH /RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-129		1202TB103-9	971929 971833	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1202BN103-130		1202TB103-9	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-131		1202TB103-9	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-132		1202TB103-9	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-133		1202TB103-9	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-134		1202TB103-9	971939 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-135		1202TB103-9	971941 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-136		1202TB103-12	972820 OBS 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-137		1202TB103-12	972822 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-138		1202TB103-12	972824 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-139 OBS		1202TB103-12	972826 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-140 OBS		1202TB103-12	972828 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-141 OBS		1202TB103-12	972830 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-142*		1202TB103-12	972563 972858 OBS	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-143*		1202TB103-12	972862 972860 OBS	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-144 OBS		1202TB103-12	972927 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-145 OBS		1202TB103-12	972926 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-146 OBS		1202TB103-12	972929 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-147 OBS		1202TB103-12	972930 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-148 OBS		1202TB103-12	972925 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-149		1202TB103-12	972928 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-150		1202TB103-12	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-151		1202TB103-12	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-152 OBS		1202TB103-12	973328 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-153		1202TB103-12	973326 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-154		1202TB103-12	973332 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-155		1202TB103-12	973334 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-156 OBS		1202TB103-12	973324 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-157 OBS		1202TB103-12	973330 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-158 OBS		1202TB103-12	973010 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-159		1202TB103-12	973011 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-160 OBS		1202TB103-12	973012 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-161		1202TB103-12	973038 OBS 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-162 OBS		1202TB103-12	973039 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-163		1202TB103-12	973040 OBS 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-164	REPLACED BY 10031559	1202TB103-12	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-165		1202TB103-12	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-166		1202TB103-12	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-167		1202TB103-12	972828 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-168		1202TB103-12	972830 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/ RH
1202BN103-169		1202TB103-12	972826 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-170		1202TB103-5	973162 973178	815326	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1202BN103-171		1202TB103-5	973164 973180	815326	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1202BN103-172		1202TB103-5	973166 973178	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-173		1202TB103-5	973168 973180	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1202BN103-174		1202TB103-13	973170 973182	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-175		1202TB103-13	685240 973178	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-176		1202TB103-13	973174 973182	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-177		1202TB103-13	685242 973178	815326	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-46°
1202BN103-178		1202TB103-9	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-179		1202TB103-9	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-180		1202TB103-9	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-181		1202TB103-9	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-182		1202TB103-9	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-183		1202TB103-9	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-184		1202TB103-12	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-185		1202TB103-12	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-186		1202TB103-12	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-187		1202TB103-12	973272 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-188		1202TB103-12	973274 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-189		1202TB103-12	973270 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-190		1202TB103-9	973374 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-191		1202TB103-9	973376 973420	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-192		1202TB103-9	973378 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-193		1202TB103-12	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-194		1202TB103-12	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-195		1202TB103-12	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-196 OBS		1202TB103-12	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-197	REPLACED BY 10042544	1202TB103-12	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-198 OBS		1202TB103-12	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-199		1202TB103-12	973242 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-200		1202TB103-12	973244 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-201		1202TB103-12	973246 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-202		1202TB103-12	973254 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-203		1202TB103-12	973256 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-204		1202TB103-12	973258 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-205		1202TB103-12	973264 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-206		1202TB103-12	973266 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-207		1202TB103-12	973268 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-208		1202TB103-12	973262 973292	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-209		1202TB103-12	973276 973294	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-210		1202TB103-12	973298 973320	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-211		1202TB103-12	973304 973322	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-212		1202TB103-12	973306 973318	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-213		1202TB103-12	973296 973320	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-214		1202TB103-12	973300 973322	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-215		1202TB103-12	973302 973318	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-216		1202TB103-12	973326 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-217		1202TB103-12	973332 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-218		1202TB103-12	973334 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-219		1202TB103-12	973324 973348	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-220	REPLACED BY 10031583	1202TB103-12	973328 973350	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-221	REPLACED BY 10031584	1202TB103-12	973330 973346	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-222 OBS		1202TB103-12	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-223		1202TB103-12	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-224		1202TB103-12	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-225		1202TB103-12	973272 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-226		1202TB103-12	973274 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1202BN103-227		1202TB103-12	973270 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1202BN103-228		1202TB103-19 OBS; Replaced by 693913	973204 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1002-E1202

STEER AXLE ASSEMBLY SPECIFICATION	REPLACED BY	I-BEAM SPECIFICATION	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH /RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1202BN103-229		1202TB103-19 OBS; Replaced by 693913	973206 OBS 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-230		1202TB103-19 OBS; Replaced by 693913	973208 OBS 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-231		1202TB103-19 OBS; Replaced by 693913	685244 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-232	REPLACED BY 10042559	1202TB103-19 OBS; Replaced by 693913	685246 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-233		1202TB103-19 OBS; Replaced by 693913	685248 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-234		1202TB103-16 OBS; Replaced by 693922	685250 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-235		1202TB103-12	973242 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-236		1202TB103-12	973244 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-237		1202TB103-12	973246 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-238		1202TB103-12	973254 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-239		1202TB103-12	973256 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-240		1202TB103-12	973258 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-241		1202TB103-19 OBS; Replaced by 693913	973262 685294	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-242		1202TB103-19 OBS; Replaced by 693913	685300 685296	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-243		1202TB103-19 OBS; Replaced by 693913	685302 685298	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-244		1202TB103-2 OBS; Replaced by 693921	973426 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
10011066		972174	973254 10011065 OBS	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN103-281		1202TB103-16 OBS; Replaced by 693922	10029239 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1202BN105-1 OBS		S-3004-366 OBS	972646 971679	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1202BN105-2 OBS		S-3004-366 OBS	972644 971695	971443	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1302BN100-1		971620	971923 971837	815326	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1302BN100-2		971620	971923 971837	815326	816369 816367	1.50-18 UNEF-2A	46°-50° 41°-45°
1302BN100-3		971620	971927 971829	815326	816369 816367	1.50-18 UNEF-2A	46°-50° 41°-45°
1302BN100-4		971620	971929 971833	815326	816369 816367	1.50-18 UNEF-2A	46°-50° 41°-45°
1302BN100-5		971620	973374 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1302BN100-6		971620	973376 973420	815326	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1302BN100-7		971620	973378 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1302BN100-8 OBS		971359	971490 971492	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
1302BN100-9 OBS		971359	972682 971578	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
1302BN100-10 OBS		971359	973124 973142	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
1302BN100-11 OBS		971359	973090 973140	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
1322BN101-1		1462TB102-3	971611 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-2		1462TB102-2	971611 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-3		1462TB102-5	971611 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-4		1462TB102-6	971666 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-5		1462TB102-2	971611 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-6		1462TB102-2	971666 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-7		1462TB102-2	971611 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-8		1462TB102-6	971611 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1322BN101-9		1462TB102-2	972025 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN101-10		1462TB102-10	817729 817744	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-11		1462TB102-10	972495 818060	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-12 OBS		1462TB102-10	817723 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-13		1462TB102-10	970902 817744	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-14		1462TB102-10	972497 818060	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-15		1462TB102-10	970904 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-16		1462TB102-10	972499 OBS 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-17		1462TB102-10	972501 OBS 818060	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-18 OBS		1462TB102-11	817729 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-19	REPLACED BY 1322BN101-76	1462TB102-11	972495 818060	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-20	REPLACED BY 1322BN101-77	1462TB102-11	817723 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-21	REPLACED BY 1322BN101-72	1462TB102-11	970902 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-22	REPLACED BY 1322BN101-73	1462TB102-11	972497 818060	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-23	REPLACED BY 1322BN101-74	1462TB102-11	970904 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-24		1462TB102-11	972499 OBS 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-25		1462TB102-11	972501 OBS 818060	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-26		1462TB102-12	971611 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-27		1462TB102-4	971633 971634	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-28 (RH STEER)		1462TB102-2	972585 972587 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-29		1462TB102-13	972599 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN101-30		1462TB102-11	972680 OBS 817737	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-31	REPLACED BY 10029682	1462TB102-10	972495 818060	971092	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN101-32		1462TB102-10	817723 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-33		1462TB102-11	970902 817744	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-34		1462TB102-10	972495 818060	971092	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN101-35		1462TB102-11	972844 OBS 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-36		1462TB102-11	972846 OBS 818060	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-37 OBS		1462TB102-11	972848 OBS 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-38 OBS		1462TB102-11	972850 OBS 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-39	REPLACED BY 1322BN101-76	1462TB102-11	972852 818060	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-40	REPLACED BY 1322BN101-77	1462TB102-11	972854 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-41		1462TB102-11	970902 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-42		1462TB102-11	972497 818060	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-43		1462TB102-11	970904 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN101-44		1462TB102-11	972940 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-45		1462TB102-11	972932 10009117	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-46		1462TB102-11	972924 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-47		1462TB102-11	972921 OBS 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-48		1462TB102-11	972931 OBS 10009117	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-49		1462TB102-11	972920 OBS 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN101-50		1462TB102-11	972940 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-51		1462TB102-11	972932 10009117	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-52		1462TB102-11	972924 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-53		1462TB102-11	972921 OBS 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-54		1462TB102-11	972931 OBS 10009117	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-55		1462TB102-11	972920 OBS 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-56		1462TB102-14	972158 971320	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN101-57		1462TB102-11	973008 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-58		1462TB102-11	973013 10009117	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-59		1462TB102-11	973007 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-60		1462TB102-11	973036 OBS 973050	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-61		1462TB102-11	973041 OBS 10009117	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-62		1462TB102-11	973035 OBS 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-63		1462TB102-10	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-64		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-65	REPLACED BY 10029682	1462TB102-10	973230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-66		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-67		1462TB102-11	973232 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-68		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-69		1462TB102-11	973212 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN101-70		1462TB102-11	973230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-71		1462TB102-11	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-72		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-73		1462TB102-11	973232 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-74		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-75		1462TB102-11	973212 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-76		1462TB102-11	973230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-77		1462TB102-11	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-78		1462TB102-11	973238 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-79		1462TB102-11	973248 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-80		1462TB102-11	973236 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-81		1462TB102-11	973252 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-82		1462TB102-11	973260 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-83		1462TB102-11	973250 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-84		1462TB102-11	973462 973464	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-85		1462TB102-11	973466 973468	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-86		1462TB102-11	685228 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-87		1462TB102-11	685230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-88		1462TB102-11	685232 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-89		1462TB102-11	685234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN101-90		1462TB102-11	685236 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-91		1462TB102-11	685238 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-92		1462TB102-10	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-93		1462TB102-10	973232 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-94		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-95		1462TB102-11	973232 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-96		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-97		1462TB102-11	973212 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-98		1462TB102-11	973230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-99		1462TB102-11	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-100		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-101		1462TB102-11	973232 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-102		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-103		1462TB102-11	973212 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-104		1462TB102-11	973230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-105		1462TB102-11	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-106		1462TB102-11	973238 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-107		1462TB102-11	973248 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-108		1462TB102-11	973236 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-109		1462TB102-11	973252 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-110		1462TB102-11	973260 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN101-111		1462TB102-11	973250 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-112		1462TB102-11	685228 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-113		1462TB102-11	685230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-114		1462TB102-11	685232 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-115		1462TB102-11	685234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-116		1462TB102-11	685236 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-117		1462TB102-11	685238 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-118		1462TB102-10	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-119		1462TB102-10	973230 973282	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN101-120		693927	973236 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
10077106		10045953	10068212 973468	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	45° 45°
10077107		10045953	10068214 973468	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	45° 45°
1322BN102-1		1462TB103-2	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-2		1462TB103-5	972276 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-3 OBS		1462TB103-6	972156 OBS 817745 OBS	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-4		1462TB103-5	972423 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-5		1462TB103-3	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-6		1462TB103-5	972535 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-7		1462TB103-2	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-8		1462TB103-3	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-9 OBS		1462TB103-5	972774 OBS 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN102-10		1462TB103-8	972682 971578	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-11		1462TB103-8	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-12		1462TB103-10	972158 971320	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN102-13		1462TB103-5	972866 10028249	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-15		1462TB103-5	972796 10028249	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-16		1462TB103-3	973088 973138	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-17		1462TB103-5	973422 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-18		1462TB103-5	973434 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-19		1462TB103-5	973454 973398	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-20		1462TB103-5	685204 973398	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-21 DUAL STEER		1462TB103-5	971251 972597	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN102-22		1462TB103-5	685270 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-23		1462TB103-5	685306 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-24		1462TB103-8	973124 973142	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-25		1462TB103-8	973088 973138	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1322BN102-26		1462TB103-10	685214 685216	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN102-27		1462TB103-5	971251 971320	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN102-28		1462TB103-5	973490 973468	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN102-29		1462TB103-5	973492 973468	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-1		971805	971789 971791	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-2		971805	971802 971804	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-3		971620	971923 971837	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-4		971620	971927 971829	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-5		971620	971929 971833	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-6 OBS		971620	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-7	REPLACED BY 1322BN103-100	971620	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-8 OBS		971620	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-9		971620	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-10 OBS		971620	971939 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-11	REPLACED BY 1322BN103-104	971620	971941 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-12		971959	971956 971958	815326	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1322BN103-13		971623 OBS	971986 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-14		971623 OBS	971988 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-15		971623 OBS	971990 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-16		971620	972648 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-17		971620	972650 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-18		971733	972097 972099	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-19		971746	972097 972099	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-20 OBS		971733	972126 OBS 972128 OBS	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-21		971623 OBS	972227 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-22		971623 OBS	972229 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-23		971674	972158 971320	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-24		971675	972158 971320	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-25 OBS		971675	972156 OBS 817745 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-26		971805	972132 971804	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-27		971805	972130 971791	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-28		971623 OBS	972229 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-29		971623 OBS	972310 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-30		971959	972449 971958	815326	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1322BN103-31		972452	972451 971958	815326	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1322BN103-32		971622	972427 OBS 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-33		971622	972420 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-34 RH STEER		971959	972480 OBS 972482	815326	816365 816365	1.50-18 UNEF-2A THD	31°-35° 31°-35°
1322BN103-35		971623 OBS	972252 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-36		971623 OBS	972485 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-37		971623 OBS	972512 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-38	REPLACED BY 1322BN103-117	972174	971931 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-39	REPLACED BY 1322BN103-118	972174	971935 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-40	REPLACED BY 1322BN103-119	972174	971937 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-41	REPLACED BY 1322BN103-114	972174	971933 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH / RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/ RH
1322BN103-42	REPLACED BY 1322BN103-115	972174	971939 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-43	REPLACED BY 1322BN103-116	972174	971941 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-44		972174	971992 OBS 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-45		972174	971994 OBS 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-46 RH STEER		972553	972555 972557	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-47 RH STEER		972553	972559 972561	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-48 RH STEER		972553	972563 972565	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-49 RH STEER		971997 OBS	972555 972557	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-50 RH STEER		971997 OBS	972559 972561	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-143		972174	973246 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-144		972174	973254 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-145		972174	973256 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-146		972174	973258 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-147		972174	973264 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-148		972174	973266 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-149		972174	973268 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-150		971620	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-151		971620	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-51 RH STEER		971997 OBS	972563 972565	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-52		971623 OBS	972227 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-53 OBS		971623 OBS	972593 972260 OBS	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-54		971622	972507 OBS 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-55		971622	972420 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-56		971621 OBS; Replaced by 972174	972687 971845	815326	816365 816365	1.50-18 UNEF-2A THD	31°-35° 31°-35°
1322BN103-57		971622	972270 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-58		971622	972268 OBS 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-59		971620	971923 971837	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1322BN103-60		971620	971927 971829	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1322BN103-61		971620	971929 971833	815326	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1322BN103-62 RH STEER		972781 OBS	972555 972557	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-63 RH STEER		972781 OBS	972559 972561	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-64 RH STEER		972781 OBS	972563 972565	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-65 RH STEER		971997 OBS	972687 972798	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-66 OBS		972174	972820 OBS 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-67		972174	972822 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-68		972174	972824 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-69 OBS		972174	972826 971837	815326	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN103-70	REPLACED BY 1322BN103-124	972174	972828 971839	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-71	REPLACED BY 1322BN103-125	972174	972830 971833	815326	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN103-72		971674	972451 971958	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-73		971674	972903 OBS 971100	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-74		971674	972905 972286	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-77		972174	972926 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-78		972174	972929 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-79		972174	972930 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-80		972174	972925 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-81		972174	972927 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-82		972174	972928 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-83		972174	973010 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-84		972174	973011 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-85		972174	973012 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-86		972174	973038 OBS 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-87		972174	973039 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-88		972174	973040 OBS 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-89		972174	972926 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-90		972174	972929 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-91		972174	972930 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-92		972174	972925 972248	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-93		972174	972927 972250	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-94		972174	972928 972246	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-95		971805	973162 973178	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-96		971805	973164 973180	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-97		971805	973168 973180	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-98		971805	973166 973178	815326	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN103-99		971620	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-100		971620	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-101		971620	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-102		971620	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-103		971620	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-104		971620	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-105		971620	973374 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-106		971620	973376 973420	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-107		971620	973378 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-108		972174	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-109		972174	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-110		972174	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-111		972174	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-112		972174	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-113		972174	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-114		972174	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-115		972174	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-116		972174	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-117		972174	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-118		972174	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-119		972174	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-120		972174	973242 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-121		972174	973244 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-122		972174	973246 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-123		972174	973254 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-124		972174	973256 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-125		972174	973258 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-126		972174	973264 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-127		972174	973266 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-128		972174	973268 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-129		972174	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-130		972174	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-131		972174	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-132		972174	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-133		972174	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-134		972174	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN103-135		972174	973220 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-136		972174	973226 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-137		972174	973228 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-138		972174	973218 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-139		972174	973222 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-140		972174	973224 973286	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-141		972174	973242 973288	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN103-142		972174	973244 973290	815326	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-1		1462TB105-6	971913 817744	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-2		1462TB105-6	971917 817740	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-3 OBS		1462TB105-6	971915 OBS 817738	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-4	REPLACED BY 1322BN104-21	1462TB105-3	817723 817738	971776	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN104-5		1462TB105-3	817729 817744	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-6 OBS		1462TB105-3	972495 818060	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-7		1462TB105-3	972503 OBS 972505 OBS	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-8		1462TB105-6	817729 817744	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN104-9		1462TB105-6	972495 818060	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN104-10	REPLACED BY 1322BN104-21	1462TB105-6	817723 817738	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN104-11		1462TB105-6	972503 OBS 972505 OBS	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-12		1462TB105-8	972583 OBS 971613	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-13 OBS		1462TB105-9	972499 OBS 817738	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN104-14		1462TB105-6	972726 OBS 972728 OBS	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-15		1462TB105-3	817723 817738	971776	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN104-16		1462TB105-3	817729 817744	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-17		1462TB105-3	972495 818060	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1322BN104-18 OBS		1462TB105-6	972850 OBS 817744	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN104-19 OBS		1462TB105-6	972852 818060	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN104-20	REPLACED BY 1322BN104-25	1462TB105-6	972854 817738	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN104-21		1462TB105-3	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-22		1462TB105-3	973230 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-23		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-24		1462TB105-6	973230 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-25		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-26		1462TB105-6	685234 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-27		1462TB105-6	685236 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-28		1462TB105-6	685238 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-29		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-30		1462TB105-6	973230 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-31		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-32		1462TB105-6	685234 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-33		1462TB105-6	685236 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN104-34		1462TB105-6	685238 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-35		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-36		1462TB105-6	973230 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-37		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-38		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-39		1462TB105-6	973230 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-40		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-41		1462TB105-3	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN104-42		1462TB105-3	973230 973282	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-1 OBS		1462TB107-2	971931 971837	971713	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-2		1462TB107-2	971935 971839	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-3 OBS		1462TB107-2	971937 971833	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-4		1462TB107-2	971952 OBS 971954 OBS	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-5		1462TB107-3	972043 971100	971713	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-6 OBS		1462TB107-3	972093 OBS 972095 OBS	971713	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-7 OBS		1462TB107-6	972254 OBS 972248	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-8		1462TB107-6	972262 OBS 972260 OBS	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-9		1462TB107-6	972272 OBS 972260 OBS	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-10		1462TB107-8	972274 OBS 972246	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-11		1462TB107-8	972429 OBS 972250	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-12		1462TB107-6	972509 972250	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN105-13		1462TB107-7	971931 971837	971713 .	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-14 OBS		1462TB107-7	971935 971839	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-15 OBS		1462TB107-7	971937 971833	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-16		1462TB107-7	971952 OBS 971954 OBS	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-17		1462TB107-8	971986 972246	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-18		1462TB107-6	972256 972246	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-43		1462TB107-7	973218 973288	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-44		1462TB107-7	973222 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-45		1462TB107-7	973224 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-46		1462TB107-7	973270 973288	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-47		1462TB107-7	973272 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-48		1462TB107-7	973274 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-49		1462TB107-7	973218 973288	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-50		1462TB107-7	973222 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-51		1462TB107-7	973224 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-52		1462TB107-7	973218 973288	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-53		1462TB107-7	973222 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-54		1462TB107-7	973224 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-55		1462TB107-2	973222 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-56		1462TB107-2	973224 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN105-19		1462TB107-7	972674 972676	815326	818140 818140	1.50-18 UNEF-2A THD	22°-29° 22°-29°
1322BN105-20 OBS		1462TB107-6	972678 OBS 972246	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-21 OBS		1462TB107-8	972274 OBS 972246	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-22		1462TB107-8	971986 972246	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-23		1462TB107-8	971988 972250	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-24		1462TB107-2	971931 971837	971713 .	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-25		1462TB107-2	971935 971839	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-26		1462TB107-2	971937 971833	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-27		1462TB107-7	971931 971837	971713 .	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-28		1462TB107-7	971935 971839	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-29		1462TB107-7	971937 971833	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-30 OBS		1462TB107-7	972826 971837	971713 .	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1322BN105-31 OBS		1462TB107-7	972828 971839	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-32 OBS		1462TB107-7	972830 971833	971713	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1322BN105-33		1462TB107-2	973218 973288	971713 .	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-34		1462TB107-2	973222 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-35		1462TB107-2	973224 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-36		1462TB107-7	973218 973288	971713 .	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-37		1462TB107-7	973222 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-38		1462TB107-7	973224 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1302-E1322

STEER AXLE ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1322BN105-39		1462TB107-7	973270 973288	971713 .	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-40		1462TB107-7	973272 973290	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-41		1462TB107-7	973274 973286	971713	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1322BN105-42		1462TB107-11	972451 971958	971713	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1322BN106-1		1462TB103-2	972236 OBS 971963 OBS	971092	120HM101	M50 X 2-6h	30°-50° 30°-50°
1322BN106-2		1462TB103-2	972238 OBS 971971 OBS	971092	120HM101	M50 X 2-6h	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
327928		971359	971486 971488	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
327929		971359	971490 971492	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-4 OBS		971674	970734 OBS 817741 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-5 OBS		971675	970784 OBS 970632 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-6 OBS		971674	970784 OBS 970632 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-7		972174	818536 817744	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-8		972174	818534 817740	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-9		972174	818532 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-10 OBS		972174	819080 OBS 817744	817755	816367 816365	1.50-18 UNEF-2A THD	41°-45° 30°-35°
1462BN100-11		972174	819417 817744	817755	816367 816365	1.50-18 UNEF-2A THD	41°-45° 30°-35°
1462BN100-12 OBS		972174	819413 OBS 818190	817755	816367 816365	1.50-18 UNEF-2A THD	41°-45° 30°-35°
1462BN100-13 RH STEER		972174	818112 970940	817755	816365 816367	1.50-18 UNEF-2A THD	30°-35° 41°-45°
1462BN100-14 RH STEER		972174	971398 971400	817755	816365 816367	1.50-18 UNEF-2A THD	30°-35° 41°-45°
1462BN100-15		971620	817729 817744	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-16		971620	818188 818190	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-17	REPLACED BY 1462BN100-168	971620	817723 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-18 OBS DUAL STEER		971620	817729 818110	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-19 OBS DUAL STEER		971620	818188 818196	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-20 OBS DUAL STEER		971620	817723 818102	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-21		971620	817729 817744	817755	816367 816367	1.50-18 UNEF-2A	41°-45° 41°-45°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-22		971620	818188 818190	817755	816367 816366	1.50-18 UNEF-2A	41°-45° 36°-40°
1462BN100-23		971620	817723 817738	817755	816367 816366	1.50-18 UNEF-2A	41°-45° 36°-40°
1462BN100-24		971620	818188 818196	817755	816367 816366	1.50-18 UNEF-2A	41°-45° 36°-40°
1462BN100-25		971620	817723 818102	817755	816367 816366	1.50-18 UNEF-2A	41°-45° 36°-40°
1462BN100-26		971620	970902 817744	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-27		971620	970900 818190	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-28		971620	970904 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-29 DUAL STEER		971620	970902 971022	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-30 OBS DUAL STEER		971620	970900 971020 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-31 DUAL STEER		971620	970904 971024	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-32 OBS		971620	819390 OBS 819396 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-33 OBS		971620	819388 OBS 819394 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-34 OBS		971620	819386 OBS 819392 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-35 OBS DUAL STEER		971620	819388 OBS 819376 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-36		971501	971595 971488	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-37		971501	971607 971492	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-38		971501	971576 971578	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-39		971620	971668 817738	817755	816365 816365	1.50-18 UNEF-2A THD	30°-35° 30°-35°
1462BN100-40		971733	971296 971298	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-41		971746	971296 971298	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-42 OBS		971620	971670 817744	817755	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1462BN100-43		971620	971672 817740	817755	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1462BN100-44		971620	971668 817738	817755	816369 816367	1.50-18 UNEF-2A THD	46°-50° 41°-45°
1462BN100-45		971620	971670 817744	817755	816367 818140	1.50-18 UNEF-2A THD	41°-45° 22°-29°
1462BN100-46		971620	971672 817740	817755	816367 818140	1.50-18 UNEF-2A THD	41°-45° 22°-29°
1462BN100-47		971620	971668 817738	817755	816367 818140	1.50-18 UNEF-2A THD	41°-45° 22°-29°
1462BN100-48 OBS DUAL STEER		971620	819386 OBS 971752 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-49 OBS		971733	971310 OBS 971312 OBS	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-50		971622	818932 819897	817755	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1462BN100-51		971622	818932 819897	817755	816366 816366	1.50-18 UNEF-2A	36°-40° 36°-40°
1462BN100-52		971622	819007 819897	817755	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1462BN100-53		971622	819007 819897	817755	816366 816366	1.50-18 UNEF-2A	36°-40° 36°-40°
1462BN100-54 OBS		971622	970552 OBS 970570	817755	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1462BN100-55		971622	970552 OBS 970570	817755	816366 816366	1.50-18 UNEF-2A	36°-40° 36°-40°
1462BN100-56 OBS		971622	970698 OBS 970700	817755	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1462BN100-57		971622	970698 OBS 970700	817755	816366 816366	1.50-18 UNEF-2A	36°-40° 36°-40°
1462BN100-58		971622	818934 970570	817755	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1462BN100-59		971622	818934 970570	817755	816366 816366	1.50-18 UNEF-2A	36°-40° 36°-40°
1462BN100-60		971622	818936 970700	817755	816366 816366	1.50-18 UNEF-2A THD	36°-40° 36°-40°
1462BN100-61		971622	818936 970700	817755	816366 816366	1.50-18 UNEF-2A	36°-40° 36°-40°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-62		971623 OBS	970670 817744	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-63		971623 OBS	970638 817744	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-64 OBS		971623 OBS	970948 OBS 817744	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-65		971623 OBS	970640 818060	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-66 OBS		971623 OBS	970950 OBS 818060	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-67 OBS		971623 OBS	970642 OBS 817738	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-68 OBS RH STEER		971997 OBS	971999 OBS 972005 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-69 OBS RH STEER		971997 OBS	972001 OBS 972007 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-70 RH STEER		971997 OBS	972003 972009	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-71 OBS		972020	971473 OBS 971320	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-72 OBS		972021	971591 OBS 971320	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-73 OBS		972041	972040 OBS 970570	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-74		971959	971251 971320	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-75 OBS		971623 OBS	970952 OBS 817738	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-76 OBS		971623 OBS	970672 OBS 818060	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-77 OBS		971623 OBS	970674 OBS 817738	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-78 OBS		971623 OBS	970676 OBS 817744	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-79 OBS		971623 OBS	970678 OBS 818060	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-80 OBS		971623 OBS	970680 OBS 817738	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-81	REPLACED BY 1462BN100-197	972174	817729 817744	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-82	REPLACED BY 1462BN100-198	972174	818188 818190	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-83	REPLACED BY 1462BN100-199	972174	817723 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-84 DUAL STEER		972174	817729 818110	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-85 OBS DUAL STEER		972174	818188 818196	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-86 DUAL STEER		972174	817723 818102	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-87	REPLACED BY 1462BN100-194	972174	970902 817744	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-88		972174	970900 818190	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-89	REPLACED BY 1462BN100-196	972174	970904 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-90 DUAL STEER		972174	970902 971022	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-91 OBS DUAL STEER		972174	970900 971020 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-92 DUAL STEER		972174	970904 971024	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-93 OBS		972174	819390 OBS 819396 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-94 OBS		972174	819388 OBS 819394 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-95 OBS		972174	819386 OBS 819392 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-96 OBS DUAL STEER		972174	819388 OBS 819376 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-97		972174	971668 817738	817755	816365 816365	1.50-18 UNEF-2A THD	30°-35° 30°-35°
1462BN100-98 OBS		972174	972224 OBS 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-99		971623 OBS	972276 10009120	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-100 OBS		972244 OBS; Replaced by 693923	972280 OBS 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-101		971623 OBS	972514 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-102 OBS		972244 OBS; Replaced by 693923	972507 OBS 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-103		972244 OBS; Replaced by 693923	972519 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-104		971622	972519 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-105 OBS		972174	972527 OBS 819394 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-106 OBS		972174	972529 OBS 819396 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-107 OBS		972174	972531 OBS 819392 OBS	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-108 OBS		971622	972533 OBS 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-109 OBS		971622	972507 OBS 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-110 OBS		971622	972280 OBS 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-111		971623 OBS	972423 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-112		971623 OBS	972535 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-113 OBS		971805	972569 OBS 972571	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-114 OBS		971805	972573 OBS 972575 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-115 OBS		971805	972577 OBS 972575 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-116		971805	972579 972571	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-117 OBS		972174	972589 OBS 972591 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-118 RH STEER		971959	972595 972597	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-119 OBS		971622	972636 OBS 10009120	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-120 OBS		971620	972642 OBS 972505 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-121 OBS		971622	972280 OBS 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIER ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-122	REPLACED BY 10127486	971501	972670 971488	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-123	REPLACED BY 10127485	971501	972668 971578	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-124 OBS		971620	972660 OBS 817738	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-125 OBS		971620	972662 OBS 818060	817755	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN100-126 OBS		972174	972664 OBS 972666 OBS	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-127 OBS		972683	972685 OBS 817744	817755	816370 816370	1.50-18 UNEF-2A THD	51°-55° 51°-55°
1462BN100-128 RH STEER		972696	972656 972658 OBS	817755	816369 816369	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-129		971622	972519 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-130 OBS		971623 OBS	972746 OBS 10009120	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-131 RH STEER		971997 OBS	818104 818102	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-132	REPLACED BY 10127489	971501	971490 971492	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-133		971501	972682 971578	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-134	REPLACED BY 10127498	971501	971490 971492	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-135		971501	972682 971578	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-136 OBS		971623 OBS	972567 OBS 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-137 RH STEER		972781 OBS	818104 972882	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-138 RH STEER		972781 OBS	972778 972884	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-139 RH STEER		972781 OBS	818112 972886	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-140 RH STEER		971997 OBS	972778 972804	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-141 RH STEER		971997 OBS	972800 972802	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-142 RH STEER		971997 OBS	818104 972882	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-143 RH STEER		971997 OBS	972778 972884	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-144 RH STEER		971997 OBS	818112 972886	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-145 RH STEER		972781 OBS	818104 818102	817755	816366 816367	1.50-18 UNEF-2A THD	36°-40° 41°-45°
1462BN100-146 RH STEER		972781 OBS	972778 972804	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-147 RH STEER		972781 OBS	972003 972009	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-148 RH STEER		972781 OBS	972778 972804	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-149 RH STEER		972781 OBS	972800 972802	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-150		972174	972940 10009120	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-151		972174	972923 972936	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-152		972174	972924 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-153 OBS		972174	972921 OBS 10009120	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-154 OBS		972174	972922 OBS 972936	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-155 OBS		972174	972920 OBS 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-156		972174	973008 10009120	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-157 OBS		972174	973009 OBS 972936	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-158		972174	973007 10009119	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-159		973073	972158 971320	817755	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN100-160		971501	973098 973138	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-161		971501	973100 973140	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-162		971501	973094 973142	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-163	REPLACED BY 10127488	971501	973122 973138	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-164	REPLACED BY 10127487	971501	973120 973142	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-165	REPLACED BY 10127490	971501	973090 973140	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-166	REPLACED BY 10127499	971501	973090 973140	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-167		971620	973214 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-168		971620	973210 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-169 OBS DUAL STEER		971620	973212 973402 OBS	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-170 OBS DUAL STEER		971620	973214 973404	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-171 DUAL STEER		971620	973210 973400	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-172		971620	973352 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-173		971620	973216 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-174 DUAL STEER		971620	973352 973414	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-175 OBS DUAL STEER		971620	973216 973416 OBS	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-176 DUAL STEER		971620	973358 973406	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-177 DUAL STEER		971620	973356 973418	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-178 OBS DUAL STEER		972174	973212 973402 OBS	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-179 DUAL STEER		972174	973214 973404	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-180 DUAL STEER		972174	973210 973400	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-181		972174	973360 973412	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-182		972174	973358 973410	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-183		972174	973356 973408	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-184		972174	973386 973410	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-185		972174	973388 973412	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-186 OBS		972174	973390 973408	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-187 OBS RH STEER		971997 OBS	973354 OBS 973400	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-188		971620	973370 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-189		971620	973372 973398	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-190		971620	973368 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-191		971620	973370 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-192		971620	973372 973398	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-193		971620	973368 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-194		972174	973234 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-195		972174	973352 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-196		972174	973216 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-197		972174	973212 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-198		972174	973214 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-199		972174	973210 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-200		972174	973238 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-201		972174	973240 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-202		972174	973236 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-203 RH STEER		972174	973480 973484	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-204 OBS RH STEER		972174	973482 OBS 973486 OBS	817755	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN100-205		971805	685252 685254	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-206		971805	685256 685258	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-207		971805	685260 685258	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-208		971805	685262 685254	817755	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN100-213 RH STEER		971675	685276 685282	817755	120HM101 120HM101	1.50-12 UNF-2A THD	40°-45° 40°-45°
1462BN100-214 RH STEER		971675	685278 685284	817755	120HM101 120HM101	1.50-12 UNF-2A THD	40°-45° 40°-45°
1462BN100-215		971359	972682 971578	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-216		971359	685356 971492	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-217		971359	973124 973142	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-218		971359	973090 973140	817755	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN100-219		972174	973234 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-220		972174	973352 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-221		972174	973216 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-222		972174	973212 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-223		972174	973214 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-224		972174	973210 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-225		972174	973238 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-226		972174	973240 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN100-227		972174	973236 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-228		972174	973480 973484	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-229		972174	973482 OBS 973486 OBS	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-230		972174	973234 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-231		972174	973352 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-232		972174	973216 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-233		972174	973234 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-234		972174	973352 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-235		972174	973216 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10003880		972174	973462 973464	817755	10002439 OBS 10002439 OBS	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN100-236		971620	973210 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10046623		972174	973252 973280	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10046624		972174	10046856 973284	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10046625		972174	973250 973278	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
406768		406769	972519 10009117	817755	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10095712		10093391	10094195 970700	817755	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
10101210		971359	10100263 971492	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127485		971501	972668 971578	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127486		971501	972670 971488	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127487		971501	973120 973142	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127488		971501	973122 973138	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
10127489		971501	971490 971492	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127490		971501	973090 973140	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127498 OBS		971501	971490 971492	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127499 OBS		971501	973090 973140	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10131605		971359	10109090 10109094	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10131606		971359	10109086 10109092	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10131607		971359	10128450 10128447	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10136601		971359	10136402 10109092	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10168125		971359	10122103 971492	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10211348		971359	10211347 10109094	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10211349		971359	10211345 10109092	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10254978		971359	10254953 971578	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10254979		971359	10254966 971492	817755	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
1462BN101-85		1462TB102-14	10016910 970700	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
1462BN101-1		1462TB102-2	971831 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-2		1462TB102-4	971243 971245	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-3		1462TB102-7	971611 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-4		1462TB102-7	971666 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-5		1462TB102-8	971627 OBS 971589 OBS	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-6		1462TB102-9	972038 OBS 971613	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-7		1462TB102-4	971633 971634	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN101-8	REPLACED BY 1462BN101-58	1462TB102-11	817729 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-9	REPLACED BY 1462BN101-59	1462TB102-11	818188 818190	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-10	REPLACED BY 1462BN101-60	1462TB102-11	817723 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-11 DUAL STEER		1462TB102-11	817729 818110	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-12 DUAL STEER		1462TB102-11	818188 818196	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-13 DUAL STEER		1462TB102-11	817723 818102	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-14		1462TB102-11	970902 817744	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-15	REPLACED BY 1462BN101-56	1462TB102-11	970900 818190	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-16	REPLACED BY 1462BN101-57	1462TB102-11	970904 817738	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-17 DUAL STEER		1462TB102-11	970902 971022	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-18 DUAL STEER		1462TB102-11	970900 971020 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-19 DUAL STEER		1462TB102-11	970904 971024	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-20		1462TB102-11	819390 OBS 819396 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-21		1462TB102-11	819388 OBS 819394 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-22		1462TB102-11	819386 OBS 819392 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-23 DUAL STEER		1462TB102-11	819388 OBS 819376 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-24 DUAL STEER		1462TB102-11	819386 OBS 971752 OBS	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-25		1462TB102-12	972517 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-26		1462TB102-10	817723 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-27		1462TB102-10	818188 818190	971092	816367 816366	1.50-18 UNEF-2A THD	41°-45° 41°-45°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSYRH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN101-28		1462TB102-10	970904 817738	971092	816367 816366	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-29 DUAL STEER		1462TB102-10	818188 818196	971092	816367 816366	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-30 DUAL STEER		1462TB102-10	817723 818102	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-31		1462TB102-8	972754 OBS 972756	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN101-33		1462TB102-11	818188 818190	971092	816367 816367	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-37		1462TB102-11	970904 817738	971092	816367 816367	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-38		1462TB102-14	972517 OBS 971613	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-39		1462TB102-11	972940 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-40		1462TB102-11	972923 972936	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-41		1462TB102-11	972924 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-42		1462TB102-11	972921 OBS 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-43		1462TB102-11	972922 OBS 972936	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-44		1462TB102-11	972920 OBS 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-45		1462TB102-15	973070 971634	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-46		1462TB102-11	973008 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-47		1462TB102-11	973009 OBS 972936	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-48		1462TB102-11	973007 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-49		1462TB102-14	972158 971320	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN101-50		1462TB102-10	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-51		1462TB102-10	973214 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN101-52		1462TB102-10	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-53 DUAL STEER		1462TB102-10	973214 973404	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-54 DUAL STEER		1462TB102-10	973210 973400	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-55		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-56		1462TB102-11	973352 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-57		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-58		1462TB102-11	973212 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-59		1462TB102-11	973214 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-60		1462TB102-11	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-61		1462TB102-11	973238 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-62		1462TB102-11	973240 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-63		1462TB102-11	973236 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-64		1462TB102-10	973352 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-65 DUAL STEER		1462TB102-10	973352 973414	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN101-66		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-67		1462TB102-11	973352 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-68		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-69		1462TB102-11	973212 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-70		1462TB102-11	973214 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-71		1462TB102-11	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN101-72		1462TB102-11	973238 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-73		1462TB102-11	973240 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-74		1462TB102-11	973236 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-75		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-76		1462TB102-11	973352 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-77		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-78		1462TB102-11	973234 973280	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-79		1462TB102-11	973352 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-80		1462TB102-11	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-81		1462TB102-10	973210 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-82		1462TB102-10	973210 973400	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-83		1462TB102-10	973214 973284	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN101-84		1462TB102-10	973216 973278	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10045960		10045953	10045956 973468	971092	120HM101 120HM101	1.50-18 UNEF-2A	45° 45°
10045961		10045953	10045957 973498	971092	120HM101 120HM101	1.50-18 UNEF-2A	45° 45°
1462BN102-1		1462TB103-3	971576 971578	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-2		1462TB103-3	971574 971492	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-3		1462TB103-3	971593 971492	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-4		1462TB103-4	971758 OBS 971245	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-5 OBS (R.H. STEER)		1462TB108-4	971574 971961	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIER ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN102-6 OBS (R.H. STEER)		1462TB108-4	971593 971983	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-7 OBS		1462TB103-2	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-8 (R.H. STEER)		1462TB108-4	972552 971961	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-9 (R.H. STEER)		1462TB108-4	972552 971983	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-10		1462TB103-5	972423 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-11		1462TB103-5	972535 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-12		1462TB103-5	972276 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-13		1462TB103-2	972682 971578	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-14		1462TB103-2	971490 971492	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-15		1462TB103-7	972734 OBS 971634	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-16		1462TB103-3	972682 971578	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-17		1462TB103-3	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-18		1462TB103-3	971490 971492	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-19 (R.H. STEER)		1462TB108-4	972552 972738	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-20	REPLACED BY 10127494	1462TB103-3	971490 971492	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-21	REPLACED BY 10127493	1462TB103-3	972682 971578	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-23		1462TB103-5	972746 OBS 10009120	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-25		1462TB103-5	972796 10028249	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-26		1462TB103-5	972774 OBS 10009119	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-28		1462TB103-5	972866 10028249	971092	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIEROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN102-29 OBS		1462TB103-8	972682 971578	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-30 OBS		1462TB103-8	971486 971488	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-31		1462TB103-9	972889 970700	971092	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN102-32		1462TB103-3	973075 971492	971092	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-33		1462TB103-11	973077 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-34		1462TB103-12	973077 817738	971092	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-35		1462TB103-3	973094 973142	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-36		1462TB103-3	973092 OBS 973140	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-37		1462TB103-3	973096 OBS 973140	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-38		1462TB103-3	973124 973142	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-39		1462TB103-3	973088 973138	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-40		1462TB103-3	973090 973140	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-41	REPLACED BY 10127496	1462TB103-3	973090 973140	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-42	REPLACED BY 10127495	1462TB103-3	973124 973142	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-43		1462TB103-3	973136 973140	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-44 (R.H. STEER)		1462TB108-4	973092 OBS 973150	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-45 (R.H. STEER)		1462TB108-4	973096 OBS 973152 OBS	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-46		1462TB103-5	685208 973278	971092	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-47		1462TB103-5	973434 973278	971092	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-48		1462TB103-5	685270 973280	971092	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN102-49		1462TB103-2	973090 973140	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-50		1462TB103-2	973124 973142	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-51		1462TB103-5	685204 973398	971092	120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN102-52		1462TB103-14	685348 970570	971092	816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-53		1462TB103-13	685360 971298	971092	816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-54		1462TB108-5	685362 685364	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-55		1462TB108-5	685362 685364	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-56		1462TB103-8	973124 973142	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-57		1462TB103-8	973088 973138	971092	120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN102-58 DUAL STEER		1462TB103-14	685348 685386	971092	816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN102-59		1462TB103-5	10010242 973398	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN102-60		1462TB103-5	973454 973398	971092	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
10037982		1462TB103-14	971398 685386	971092	816369 816369	1.50-18 UNEF-2A	46°-50° 46°-50°
10110667		1462TB103-2	10109086 10109092	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10110668		1462TB103-2	10109090 10109094	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127492		1462TB103-3	10025888 973140	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127493		1462TB103-3	972682 971578	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127494		1462TB103-3	971490 971492	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127495		1462TB103-3	973124 973142	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10127496		1462TB103-3	973090 973140	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
10131608 OBS		1462TB103-8	10109090 10109094	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
10131609 OBS		1462TB103-8	10128444 10128446	971092	120HM101 120HM101	1.50-12 UNF-2A	30°-50° 30°-50°
1462BN103-1		1462TB105-6	819417 817744	971776	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1462BN103-2 (R.H. STEER)		1462TB105-4	818104 972243 OBS	971776	816369 816369	1.50-18 UNEF-2A THD	50° 50°
1462BN103-3 (LQR)		1462TB105-5	971490 971492	971776	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN103-4	REPLACED BY 1462BN103-28	1462TB105-6	817729 817744	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN103-5		1462TB105-6	818188 818190	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN103-6		1462TB105-6	817723 817738	971776	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN103-7 DUAL STEER		1462TB105-6	817723 818102	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-8 DUAL STEER		1462TB105-6	818188 818196	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-9 DUAL STEER		1462TB105-6	817729 818110	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-12		1462TB105-3	817723 817738	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-13 DUAL STEER		1462TB105-3	817723 818102	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-14 DUAL STEER		1462TB105-3	818188 818196	971776	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN103-15		1462TB105-6	817729 817744	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-16		1462TB105-6	818188 818190	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-17		1462TB105-6	817723 817738	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-18		1462TB105-3	817723 817738	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-19 DUAL STEER		1462TB105-3	817723 818102	971776	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN103-20		1462TB105-11	972776 OBS 10009120	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN103-21		1462TB105-11	972774 OBS 10009119	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-22		1462TB105-3	818188 818190	971776	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN103-23		1462TB105-6	973362 OBS 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-24		1462TB105-3	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-25 DUAL STEER		1462TB105-3	973210 973400	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-26 DUAL STEER		1462TB105-3	973214 973404	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-27		1462TB105-3	973214 973284	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-28		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-29		1462TB105-6	973214 973284	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-30		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-31		1462TB105-11	685202 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-32		1462TB105-11	685208 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN103-33		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-34		1462TB105-6	973214 973284	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-35		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-36		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-37		1462TB105-6	973214 973284	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-38		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-39		1462TB105-6	973212 973280	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-40		1462TB105-6	973214 973284	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/ RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN103-41		1462TB105-6	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-42		1462TB105-3	973210 973400	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN103-43		1462TB105-3	973210 973278	971776	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-55		1462TB107-7	973214 973284	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-56		1462TB107-7	973210 973278	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-57		1462TB107-7	973212 973280	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-58		1462TB107-7	973214 973284	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-59		1462TB107-7	973210 973278	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-60		1462TB107-2	973210 973278	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-1		1462TB107-7	819417 817744	971747	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN104-2		1462TB107-2	817729 817744	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-3	REPLACED BY 1462BN104-40	1462TB107-2	818188 818190	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-4		1462TB107-2	817723 817738	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-5 DUAL STEER		1462TB107-2	817723 818102	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-6 DUAL STEER		1462TB107-2	818188 818196	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-7 DUAL STEER		1462TB107-2	817729 818110	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-11		1462TB107-3	971301 OBS 970700	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-12		1462TB107-6	970640 818060	971747	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN104-13		1462TB107-7	817729 817744	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-14		1462TB107-7	818188 818190	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN104-15		1462TB107-7	817723 817738	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-16 DUAL STEER		1462TB107-7	817723 818102	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-17 DUAL STEER		1462TB107-7	818188 818196	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-18 DUAL STEER		1462TB107-7	817729 818110	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-19		1462TB107-9	972423 10009119	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-20		1462TB107-8	972423 10009119	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-21		1462TB107-8	972567 OBS 10009117	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-24		1462TB107-8	972423 10009119	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-25 (R.H. STEER)		1462TB107-10	972652 972654	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-26 (R.H. STEER)		1462TB107-10	972656 972658 OBS	971776	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-27		1462TB107-8	972567 OBS 10009117	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-28 (R.H. STEER)		1462TB107-10	972750 972752 OBS	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-29		1462TB107-2	817729 817744	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-30		1462TB107-2	818188 818190	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-31		1462TB107-2	817723 817738	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-32 DUAL STEER		1462TB107-2	817723 818102	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-33 DUAL STEER		1462TB107-2	818188 818196	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-34 DUAL STEER		1462TB107-2	817729 818110	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-35		1462TB107-7	817729 817744	971747	816367 816367	1.50-18 UNEF-2A THD	41°-45° 41°-45°
1462BN104-36		1462TB107-7	818188 818190	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°

Axle Specifications E1462

ASSEMBLY PART NO.	REPLACED BY	I-BEAM	KNUCKLE ASSY LH ASSY RH	TIE ROD ASSY	STOP SCREW LH/RH	FRONT STEER SPINDLE NUT	TURN ANGLE LH/RH
1462BN104-37		1462TB107-7	817723 817738	971747	816367 816366	1.50-18 UNEF-2A THD	41°-45° 36°-40°
1462BN104-38		1462TB107-8	972746 OBS 10009120	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-39		1462TB107-2	973212 973280	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-40		1462TB107-2	973214 973284	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-41		1462TB107-2	973210 973278	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-42 DUAL STEER		1462TB107-2	973210 973400	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-43 DUAL STEER		1462TB107-2	973214 973404	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-44 DUAL STEER		1462TB107-2	973212 973402 OBS	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-45		1462TB107-7	973212 973280	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-46		1462TB107-7	973214 973284	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-47		1462TB107-7	973210 973278	971747	120HM101 120HM101	1.50-18 UNEF-2A THD	30°-50° 30°-50°
1462BN104-48 (RH STEER)		1462TB107-12	685276 685282	971747	120HM101 120HM101	1.50-12 UNF-2A THD	30°-35° 30°-35°
1462BN104-49 (RH STEER)		1462TB107-12	685274 685280	971747	120HM101 120HM101	1.50-12 UNF-2A THD	30°-35° 30°-35°
1462BN104-50		1462TB107-13	971486 971488	971747	120HM101 120HM101	1.50-12 UNF-2A THD	30°-50° 30°-50°
1462BN104-51		1462TB107-7	973212 973280	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-52		1462TB107-7	973214 973284	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-53		1462TB107-7	973210 973278	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN104-54		1462TB107-7	973212 973280	971747	120HM101 120HM101	1.50-18 UNEF-2A	30°-50° 30°-50°
1462BN105-1		1462TB110-2	685266 685268	972694	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN105-2		1462TB110-3	685266 685268	972694	816369 816369	1.50-18 UNEF-2A THD	46°-50° 46°-50°
1462BN105-3		1462TB110-1 OBS	685266 685268	972694	816369 816369	1.50-18 UNEF-2A THD	44°-46° 44°-46°



SPICER®

Drivetrain Products

Axles

Driveshafts

Off-Highway Transmissions

LONG®

Thermal Products

Transmission Oil Coolers

Engine Oil Coolers

VICTOR REINZ®

Sealing Products

Gaskets and Seals

Cylinder-Head Cover Modules

Thermal-Acoustic Protective Shielding



Dana Aftermarket Group

PO Box 321

Toledo, Ohio 43697-0321

Warehouse Distributor: 1.800.621.8084

OE Dealers: 1.877.777.5360

www.spicerparts.com

SPICER®

